



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE
At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatuonline.com)

INVITATION FOR QUOTATION

Our Ref No. : DBATU/Store/ Various Dept/Hp LaserJet printer/2020/37

Date: 03/ 01/2020

Quotation For: Hp LaserJet Printer

Due On: 20/01/2020

Date of Opening: 21/01/2020

Time: 3.00 pm

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 20/01/2020. While submitting your quotation, the following procedure may please be observed and other points borne in mind.

01. The maker's name must be specified.
02. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
03. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
04. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
05. Envelope should be clearly marked with our reference No and date of this quotation. It should also be superscripted as per the format given above.
06. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
07. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
08. Quotation received after the date of opening may not be taken into consideration.
09. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.

13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

sd

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description / Specification	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
01	LaserJet Pro M1136 MFP	HP	12		
02	LaserJet Pro MFP M128fn	HP			
03	HP LaserJet Pro MFP M227 sdn	HP			
04	HP LaserJet Enterprise M403DN printer	HP			
05	HP LaserJet Pro MFP M427 series	HP			

- Details specification as per attached sheet
- Quantity may vary

Annexure "A" Specifications

General

LaserJet Pro M1136 MFP

Printing Method Laser
Type - Multi-function
Display - Dual Digit Numeric LED
Model Name - LaserJet Pro M1136 MFP
Model Series - LaserJet
Part Number - CE849A#ACJ
Printing Output - Monochrome
Functions -Print, Copy, Scan
Brand - HP
Refill Type - Toner Cartridge
Ideal Usage – Business

• Print

Duty cycle (monthly, A4) - 8000 pages
Print Speed Mono - 18 ppm
Duplex Print -Manual
Other Print Features -Print Speed Black (Normal, Letter): 19 ppm
Additional Features -Duty Cycle (Monthly, Letter): 8000 Pages,
Recommended Monthly Page Volume: 250 to 2000,
Processor speed: 400 Mhz,
Scan Resolution Hardware: 1200 x 1200 dpi,
Color Scanning: Yes, Levels of Greyscale: 256,
Scan Input Modes: Scanning via HP LaserJet Scan Application or TWAIN or WIA Compliant Application
Software, Paper Trays
Maximum: Paper Trays Standard: 1, Media Weight
Supported: 60 to 163 g/m,
Multitasking Supported: Yes,
Storage Temperature Range: 0DegC - 35DegC,
Acoustic Power Emissions (Active Copy): 50 dB,
Storage Humidity: 10 % - 80 %, HP Laser Black Toner Cartridge pre Installed

• Paper Handling

Media types supported -Paper
Media size supported -A4

• Scan

Bit depth Mono -24-bit
Scan area size -216 x 297 mm
Optical scanning resolution -1200 dpi
Scan Type -Flatbed

Copy

Copy Resolution Colour -600 x 400 dpi

Power And Operating Requirements

Operating Temperature range -10DegC - 32.5DegC degree C
Operating Humidity range - 10 % - 80 % %

- **Dimensions And Weight**

Height -32 cm

Width -46.895 cm

Weight -9.4 kg

Depth -32.065 cm

- **System Requirements**

- **Hard Drive** - Windows 7 - 700 MB free hard disk space,
Windows Vista - 700 MB free hard disk space, Windows XP - 700 MB
free hard disk space, Windows Server 2003 - 700 MB free hard disk space

- **Memory** - Windows 7 - 1 GB RAM, Windows Vista - 1 GB RAM,
Windows XP - 1 GB RAM, Windows Server 2003 - 1 GB RAM

- **Processor** - Windows 7 - 1 GHz Processor, Windows Vista - 1 GHz
Processor,
Windows XP - 1 GHz Processor, Windows Server 2003 - 1 GHz
Processor

- **Other System Requirements** - Internet Explorer 5.5, Windows Server
2003 -

SVGA 800 x 600 with 16-bit Color Display, Windows 7 - SVGA 800
x 600 with 16-bit Color Display, Windows XP - SVGA 800 x 600
with 16-bit Color Display, USB or Ethernet Port, Windows Vista -
SVGA 800 x 600 with 16-bit Color Display

- **Operating System** - Windows 7, Windows Vista, Windows XP, Windows
Server
2003, Mac OS

- **Connectivity**

USB support - USB 2.0

Wireless Support - No

- **Compatible Inks/toners**

Compatible Colour Cartridge - HP 126A LaserJet Imaging Drum(CE314A)

Compatible Black cartridge -HP 126A Black LaserJet Toner

Cartridge(CE310A)

- **Warranty**

1 Year

HP LaserJet Pro MFP M227 sdn

Print, scan, copy

- Prints up to 28 ppm (A4)
- RMPV: Up to 2,50 to 2,500 pages
- Duty cycle (monthly): 30,000 pages
- Resolution: Up to 1200 x 1200 dpi
- Memory: 256 MB; 800 MHz
- HP ePrint; AirPrint 1.5; Google Cloud Print™ 2.0
- HP 30 A Toner- 1,600 pages

1 year onsite warranty

HP LaserJet Enterprise M403DN printer

Print only

- Prints up to 38 ppm black (Normal,A4)
- Duty Cycle up to 80,000 per pages
- RMPV: 750 to 4,000 pages
- Print Resolution: 1200 x 1200 dpi
- Processor Speed: 1200 MHz; Memory: 128MB
- 1 Hi-Speed USB 2.0, PIN printing available
- HP 28A Black Toner - 3,000 pages

1 year onsite warranty

HP LaserJet Pro MFP M427 series

Print, Scan, Copy, Fax, Network, Pin Print, Wireless (only with dw)

- Prints up to 38 ppm, (Normal A4)
- Duty Cycle up to 80,000 pages
- RMPV: 750 to 4,000 pages
- Processor Speed: 1200 MHz; Memory: 256MB
- 1200 x 1200 dpi print resolution
- Built-in 10/100/1000 Base-TX Gigabit Ethernet, wireless 802.11b/g/n (only dw .)
- Hi Speed USB 2.0 printing port
- HP ePrint
- HP 28A Black Toner- 3,000 pages

3 year onsite warranty (1 year warranty on M427dw)

HP LaserJet Pro MFP M128fn

Specifications

- FUNCTIONS - Print, copy, scan, fax
- MULTITASKING SUPPORTED - Yes
- PRINT SPEED BLACK - Normal: Up to 20 ppm Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/products1/ISO/MMDPP/index.html. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- FIRST PAGE OUT BLACK (A4, READY) - As fast as 9.5 sec
- PRINT SPEED COLOR - Normal: Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/products1/ISO/MMDPP/index.html. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- FIRST PAGE OUT (READY) - Black: As fast as 9.5 sec
- FIRST PAGE OUT (SLEEP) - Black:
- DUTY CYCLE (MONTHLY, A4) - Up to 8000 pages Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- RECOMMENDED MONTHLY PAGE VOLUME - 250 to 2000 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- PRINT TECHNOLOGY - Laser
- PRINT QUALITY BLACK (BEST) - Up to 600 x 600 dpi
- PRINT LANGUAGES - PCLm/PCLmS
- DISPLAY - 2-line LCD (text)
- PROCESSOR SPEED 600 MHz
- AUTOMATIC PAPER SENSOR No
- REPLACEMENT CARTRIDGES - HP 88A Black LaserJet Toner Cartridge (~1500 yield) CC388A Replacement cartridge average declared yield ~1500 pages based on ISO/IEC 19752 and continuous print. Actual yields vary considerably based on images printed and other factors. For more information, visit: hp.com/go/learnaboutsupplies
- HP EPRINT CAPABILITY - Yes

- **MOBILE PRINTING CAPABILITY**- HP ePrint; Apple AirPrint™; Mobile Apps May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>
- **WIRELESS CAPABILITY** - No
- **CONNECTIVITY, STANDARD** - Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port
- **NETWORK READY** - Standard (built-in Ethernet)
- **MINIMUM SYSTEM REQUIREMENTS** - Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (32-bit) (SP2 or higher); 200 MB hard disk space required (CD and Web Package); 400 MB hard disk space required; 512 MB RAM installed; CD-ROM/DVD or Internet; USB or Network port Mac OS X v 10.6; PowerPC G4, G5, or Intel® Core™ Processor; 500 MB available hard disk space; CD-ROM/DVD-ROM or Internet; USB or Network port
- **COMPATIBLE OPERATING SYSTEMS** - Full software installs supported on: Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (32-bit) (SP2 or higher); Driver only installs supported on: Windows Server 2012; Windows Server 2008 (32-bit), Windows Server 2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2003 (32-bit) (SP1 or higher); Mac OS X v 10.6.8 or higher; Linux: Please check Linux on-line support: <http://www.hplipopensource.com/hplip-web/install.html>
- **OPERATING SYSTEM (SUPPORTED NOTE)** - Driver only installs supported on: Windows Server 2012; Windows Server 2008 (32-bit), Windows Server 2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2003 (32-bit) (SP1 or higher)
- **MEMORY** - 128 MB
- **MEMORY, MAXIMUM** - 128 MB
- **PAPER HANDLING INPUT, STANDARD** - 150-sheet input tray
- **PAPER HANDLING OUTPUT, STANDARD** - 100-sheet face-down bin
- **MAXIMUM OUTPUT CAPACITY (SHEETS)** - Up to 100 sheets
- **DUPLEX PRINTING** - Manual (driver support provided)
- **MEDIA SIZES SUPPORTED** - A4; A5; B5-Japanese; envelopes (ISO DL, C5, B5, Com #10, Monarch #7 3/4); 16K; post cards (Standard #10, JIS single and double)
- **MEDIA SIZES, CUSTOM** -76 x 127 to 216 x 356 mm
- **MEDIA TYPES** - Paper (plain, LaserJet), envelopes, transparencies, labels, postcards
- **MEDIA WEIGHT, SUPPORTED** - 60 to 163 g/m²
- **MEDIA WEIGHTS, SUPPORTED ADF** - 60 to 90 g/m²
- **SCANNER TYPE** - Flatbed, ADF
- **SCAN FILE FORMAT** - Windows Scan Software supports file format: JPG, RAW(BMP), PDF, TIFF, PNG; Mac Scan Software supports file format: TIFF, PNG, JPEG, JPEG-2000, PDF, PDF-Searchable, RTF, TXT
- **SCAN RESOLUTION, OPTICAL**- Up to 1200 dpi
- **SCAN SIZE (ADF), MAXIMUM** - 216 x 356 mm
- **SCAN SIZE (ADF), MINIMUM** - 152 x 114 mm

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To: _____

Sr. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
				Total Cost			

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of _____ months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier _____
 Name: _____
 Address: _____
 Contact No: _____