

## QUESTION BANK

<b>Id</b>	<b>1)</b>
Question	Which of the following is an entry point method of VB.NET program?
A	Sub Main
B	function main
C	Both of the above
D	None of the above

<b>Id</b>	<b>2)</b>
Question	The _____ method converts the value of this instance to a double representing the OLE automation date.
A	From OA Date
B	TO OA Date
C	Today
D	Now

<b>Id</b>	<b>3)</b>
Question	How to dereference an object in VB.NET?
A	By setting the object to Null
B	By setting the object to Nothing
C	With Close keyword
D	None of the above

<b>Id</b>	<b>4)</b>
Question	Which language is not a true object-oriented programming language?
A	VB.NET
B	VB 6
C	C++
D	C#

<b>Id</b>	<b>5)</b>
Question	A GUI
A	uses buttons, menus, and icons
B	should be easy for a user to manipulate
C	both (a) and (b)
D	stands for Graphic Use Interaction

<b>Id</b>	<b>6)</b>
Question	Which is not a main component of the Visual Studio IDE?
A	Solution Explorer
B	Tool Box
C	Start Menu
D	Designer Window

<b>Id</b>	<b>7)</b>
Question	The .Net class library?
A	contains over 25,000 classes
B	uses namespaces to manage all of the classes
C	Both a and b
D	None

<b>Id</b>	<b>8)</b>
Question	Which of the following Loop structure does not supported by VB.Net?
A	Do ___ Loop
B	For ___ Next
C	Do ___ While
D	For Each ___ While

<b>Id</b>	<b>9)</b>
Question	What would we use to know if a value returned in a datatable is NULL in the database?
A	IsDBNull( )
B	IsEmpty( )
C	IsNull( )
D	None

<b>Id</b>	<b>10)</b>
Question	A _____ performs invisible tasks even if you write no code.
A	destructor
B	private method
C	constructor
D	function

<b>Id</b>	<b>11)</b>
Question	Which of the following converts the expression to Byte data type in VB.NET?
A	CBool(expression)
B	CByte(expression)
C	CChar(expression)
D	CDate(expression)

<b>Id</b>	<b>12)</b>
Question	Which of the following converts the expression to Long data type in VB.NET?
A	CDbl(expression)
B	CDec(expression)
C	CInt(expression)
D	CLng(expression)

<b>Id</b>	<b>13)</b>
Question	Which of the following access modifier specifies that a function or Get accessor is an iterator?
A	In
B	Iterator
C	Key
D	Module

<b>Id</b>	<b>14)</b>
Question	Which of the following access modifier specifies that a class can be used only as a base class and that you cannot create an object directly from it?
A	Must Inherit
B	Must Override
C	Narrowing
D	Not Inheritable

<b>Id</b>	<b>15)</b>
Question	Which of the following access modifier specifies that one or more declared programming elements are accessible only from within their declaration context, including from within any contained types?
A	Private
B	Protected
C	Public
D	Read Only

<b>Id</b>	<b>16)</b>
Question	Which of the following statement declares the name of a class and introduces the definition of the variables, properties, events, and procedures that the class comprises?
A	Dim
B	Const
C	Enum
D	Class

<b>Id</b>	<b>17)</b>
Question	Which of the following statement declares the operator symbol, operands, and code that define an operator procedure on a class or structure?
A	Sub
B	Declare
C	Operator
D	Property

<b>Id</b>	<b>18)</b>
Question	Which of the following statement terminates the loop or select case statement and transfers execution to the statement immediately following the loop or select case?
A	Exit
B	Continue
C	Go To
D	None of the above

<b>Id</b>	<b>19)</b>
Question	Which of the following property of Array class in VB.NET gets a 64-bit integer, the total number of elements in all the dimensions of the Array?
A	Rank
B	Long Length
C	Length
D	None of the above

<b>Id</b>	<b>20)</b>
Question	Which of the following is true about exceptions in VB.NET?
A	The exception classes in VB.NET are mainly directly or indirectly derived from the System.Exception class.
B	VB.NET exceptions are represented by classes.
C	Both of the above
D	None of the above

<b>Id</b>	<b>21)</b>
Question	Which of the following information is contained in the assembly manifest?
A	Files
B	Identity
C	Security Permissions
D	All of the above

<b>Id</b>	<b>22)</b>
Question	Any project that compiles to an EXE or DLL files produces an assembly in .NET.
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>23)</b>
Question	Which of the following is the best to retrieve Read-Only, Forward-only stream of data from database?
A	Data Set
B	Typed Data Set
C	DataReader
D	DataSync

<b>Id</b>	<b>24)</b>
Question	_____ protects system resources from unauthorized calls.
A	Role-based security
B	Code-based security
C	No-based security
D	Strong-based security

<b>Id</b>	<b>25)</b>
Question	Which of the following is not a method of Debug class?
A	Assert( )
B	Flush( )
C	Close( )
D	Open( )

<b>Id</b>	<b>26)</b>
Question	_____ is used to step through each line of code as it executes, including calls to other function.
A	Step Out
B	Step Over
C	Step Into
D	Set Next Statement

<b>Id</b>	<b>27)</b>
Question	COMException class is a part of _____ .
A	System.Runtime.InteropServices
B	System.XML
C	System. Data
D	System.Resources

<b>Id</b>	<b>28)</b>
Question	The methods declared with the following modifiers are not accessible out side the current VB.NET project.
A	Public
B	Protected
C	Friend
D	Unknown

<b>Id</b>	<b>29)</b>
Question	Default properties are always a parameterized property.
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>30)</b>
Question	How do you limit implicit type conversion in VB.NET?
A	Option Strict On
B	Option Strict=1
C	Options Strict True
D	Option Strict off

<b>Id</b>	<b>31)</b>
Question	Is the Class type in VB.NET a value type?
A	Yes
B	No
C	Maybe
D	Always

<b>Id</b>	<b>32)</b>
Question	Choose the correct statement about a delegate in VB.NET
A	A delegate is a strongly type function pointer
B	It is a type-safe function pointer
C	Delegates are used to create associations between events and event handlers in VB.NET
D	All of the above statements are correct for a delegate



<b>Id</b>	<b>33)</b>
Question	Which of the following is not the member of System.Collections?
A	Bit Array
B	Enum
C	Queue
D	Stack

<b>Id</b>	<b>34)</b>
Question	Which of the following control can contain other controls?
A	Group Box
B	Tab Page
C	Panel
D	All of the above

<b>Id</b>	<b>35)</b>
Question	Which of the following object is used by the DataAdapter to retrieve the data from database?
A	Command
B	Connection
C	Data Reader
D	Data Writer

<b>Id</b>	<b>36)</b>
Question	Which of the following control doesn't receive the focus and doesn't have a Tab Index property?
A	Picture Box
B	Label Control
C	List Box
D	Tab Control

<b>Id</b>	<b>37)</b>
Question	Which of the following is not true for Shared members
A	Shared members belong to the type but not to any instance of a type
B	They can be accessed without creating an instance of the type.
C	They can be accessed using the type name
D	They are accessed using instance name

<b>Id</b>	<b>38)</b>
Question	If no access modifier is specified for a class, it is considered _____.
A	Public
B	Private
C	Friend
D	Protected

<b>Id</b>	<b>39)</b>
Question	Which of the following namespaces is used to access "computer name" and its IP address in VB.NET?
A	System.NET.DNS
B	System.Diagnostics.Process
C	System.Data.Common
D	None of the Above

<b>Id</b>	<b>40)</b>
Question	Which of the following namespace provides support for obtaining information and dynamic creation of types at runtime?
A	System.IO
B	System.Component Model
C	System.Reflection
D	System.Data

<b>Id</b>	<b>41)</b>
Question	The smallest unit to which one can associate a version number in .NET is
A	CLR
B	Assembly
C	Namespace
D	None of the Above

<b>Id</b>	<b>42)</b>
Question	Lower bound value of array in VB.NET
A	-1
B	0
C	2
D	3

<b>Id</b>	<b>43)</b>
Question	Which of the following is not correct about the value types and reference types in VB.NET?
A	Dim statement is used to create a variable that represents a value type
B	Data associated with a value type is allocated on the stack
C	Reference types must be instantiated after declaration
D	Data associated with a reference type is allocated on the stack

<b>Id</b>	<b>44)</b>
Question	Which NameSpace is used to access the metadata in an Assembly?
A	System.XML
B	System.Assembler
C	System.Reflection
D	System.IO

<b>Id</b>	<b>45)</b>
Question	What is the purpose of Invoke Method?
A	Used to call any procedure
B	Used to call the procedure through Delegate variable
C	Both
D	None

<b>Id</b>	<b>46)</b>
Question	In VB.NET, the finalizer must use the Overrides keyword
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>47)</b>
Question	Which one of the following collections receives output from Trace and Debug classes?
A	Trace
B	Debug
C	Listeners
D	None

<b>Id</b>	<b>48)</b>
Question	Using _____ we can determine if a variable is initialized in VB.NET
A	IsDdNull( )
B	IsEmpty( )
C	ISNull( )
D	ISFull( )

<b>Id</b>	<b>49)</b>
Question	_____ can be accessed from all types within the assembly, but not from outside the assembly.
A	Public
B	Private
C	Friend
D	Protected

<b>Id</b>	<b>50)</b>
Question	How to dereference an object in VB.NET?
A	By setting the object to Null
B	By setting the object to Nothing
C	With Close keyword
D	None of the above

<b>Id</b>	<b>51)</b>
Question	How many levels of compilation happens in .NET Framework
A	1
B	2
C	3
D	4

<b>Id</b>	<b>52)</b>
Question	Most of the underlying integration of .NET is done through XML
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>53)</b>
Question	An Assembly info file in a VB.NET project will have blank as file extension.
A	.config
B	.vb
C	.cs
D	.null

<b>Id</b>	<b>54)</b>
Question	Every type supported by CTS is derived from
A	System .Object
B	System .Type
C	System .Data
D	System .Date

<b>Id</b>	<b>55)</b>
Question	Which of the following Types will have data of fixed size
A	Value Type
B	Reference Type
C	Class Type
D	Object Type

<b>Id</b>	<b>56)</b>
Question	What is the significance of Option Explicit statement when it is set to On
A	Specifies that any variable name is declared (with type) before use
B	Specifies whether strings should be compared as binary
C	Specifies that variables should be initialized before use
D	Specifies that variables should be terminated before use

<b>Id</b>	<b>57)</b>
Question	Which of the following class does not belong to Collection namespace
A	Array List
B	Queue
C	Dictionary List
D	Stack

<b>Id</b>	<b>58)</b>
Question	Methods declared with the following modifier are not accessible outside the class
A	Private
B	Protected
C	Friend
D	Global

<b>Id</b>	<b>59)</b>
Question	The methods which return the values back to the calling code are called as
A	Constructors
B	Interrogative methods
C	Imperative methods
D	Alternative methods

<b>Id</b>	<b>60)</b>
Question	How do you terminate code execute with in a VB.NET method
A	Exit
B	Close Sub
C	Exit Sub
D	Kill

<b>Id</b>	<b>61)</b>
Question	How do you create a Read only Property in VB.NET
A	Using Only Get..EndGet with in property definition
B	Using Only Get..EndMet with in property definition
C	Using Only Set..EndSet with in property definition
D	Using both Get and Set

<b>Id</b>	<b>62)</b>
Question	The constructors in VB.Net is similar to which event in previous versions of VB
A	Class_Load
B	Class_Terminate
C	Class_Initialize
D	Class_Update

<b>Id</b>	<b>63)</b>
Question	Which interface allows to implement the Dispose method to do cleanup work
A	Idestructor
B	Icleanup
C	Idisposable
D	Iconstructor

<b>Id</b>	<b>64)</b>
Question	How do you call non shared methods of a class
A	Directly invoking the method name
B	Invoking the method through the instance of that class
C	Directly invoking the object name
D	None of the above



<b>Id</b>	<b>65)</b>
Question	How do we implement private interfaces
A	Using Inherits Keyword
B	Private interfaces can not be implemented
C	Using Implements Keyword
D	Using Variable Keyword

<b>Id</b>	<b>66)</b>
Question	Where do you find COMException class
A	System.XML
B	System. Data
C	System.Net
D	None of the above

<b>Id</b>	<b>67)</b>
Question	Which method of the XMLdocument class takes xml as string while loading
A	Loadxml ( )
B	Load( )
C	Save ( )
D	Edit ( )

<b>Id</b>	<b>68)</b>
Question	Which is the base class for Typed Dataset
A	Data Reader
B	Data set
C	Data Adapter
D	Database

<b>Id</b>	<b>69)</b>
Question	Which is the best to retrieve Read-Only, Forward-only stream of data from database
A	Data Set
B	Typed Data Set
C	DataReader
D	DataWriter

<b>Id</b>	<b>70)</b>
Question	The Data Adapter uses which of the following object to retrieve the data from database
A	Connection
B	Data Reader
C	DataWriter
D	None of the above

<b>Id</b>	<b>71)</b>
Question	Which of the method is used to display the form as modal
A	Show dialog( )
B	Activate ( )
C	Load dialog()
D	Show( )

<b>Id</b>	<b>72)</b>
Question	The tool provided with .Net framework to register assemblies for use by COM is
A	Regsvr32
B	Regasm
C	ILDASM
D	Regedit

<b>Id</b>	<b>73)</b>
Question	How do you add Web Methods in VB.Net
A	Add keyword to Method signature
B	Add [Web Method] on top of the Method Signature
C	Add {Web Method} on bottom of the Method Signature
D	Add {Network Method} on top of the Method Signature

<b>Id</b>	<b>74)</b>
Question	How do you refer the current class in VB.Net
A	Me
B	This
C	Super
D	Sub

<b>Id</b>	<b>75)</b>
Question	How you refer the parent class in VB.Net
A	Parent
B	MyBase
C	Super
D	Sub

<b>Id</b>	<b>76)</b>
Question	The serialization of an Object means that it is written out to a stream
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>77)</b>
Question	Which of the following is not a method of Debug class
A	Assert( )
B	Open( )
C	Flush( )
D	Close( )

<b>Id</b>	<b>78)</b>
Question	Vb.Net classes can be derived in C#
A	True
B	False
C	Maybe
D	None of the mentioned

<b>Id</b>	<b>79)</b>
Question	Smart Phone applications and other such devices can be written using:
A	.NET Compact Framework
B	.NET Small Framework
C	.NET Smartclient Framework
D	.NET Complex Framework

<b>Id</b>	<b>80)</b>
Question	Which class is used to run the EXE application file in VB.NET?
A	Process
B	Application
C	Exe
D	Execute

<b>Id</b>	<b>81)</b>
Question	If you know want to migrate your Visual Basic 6 application to VB.NET, what is the first thing you should do?
A	Schedule meetings with end users to see what features they want to add to the app.
B	Open the Visual Basic Upgrade Wizard, get a cup of coffee and watch it run.
C	Assess the VB 6 application; find out what controls it uses, what projects are in there and so on.
D	Cancel all social plans for the next couple months and start rewriting the app in .NET.

<b>Id</b>	<b>82)</b>
Question	Some bits of a Visual Basic 6 application, like most APIs, can be easily migrated to VB.NET; other parts are not so straightforward. Which of the following will NOT have to be re-architected during a VB 6-to-VB.NET migration ?
A	DHTML pages
B	ADO to ADO via Interop
C	ActiveX documents
D	OLE controls

<b>Id</b>	<b>83)</b>
Question	The Visual Basic Upgrade Wizard will convert all the code in your VB 6 application to VB.NET code for you.
A	False
B	True
C	Not always
D	Can't say

<b>Id</b>	<b>84)</b>
Question	This programming language model is used sparingly in VB 6 but is one of the cornerstones of VB.NET. Knowing the ins and outs of it will make an application migration project easier and also prepare you for additional work in VB.NET. What is the model?
A	Modular programming
B	Aspect-oriented programming
C	Reflective programming
D	Object-oriented programming

<b>Id</b>	<b>85)</b>
Question	What two controls are needed when creating a toolbar ?
A	Only Toolbar control
B	Image List and Toolbar control
C	Both 1 and 2
D	None of the mentioned

<b>Id</b>	<b>86)</b>
Question	Can a toolbar display text instead of pictures in the buttons ?
A	No, a toolbar can only display images
B	No, a toolbar can only display text
C	Yes, a toolbar can display text, images, or both.
D	None of the mentioned

<b>Id</b>	<b>87)</b>
Question	The vbc.exe compiler generates:
A	IL Code
B	Native code
C	Byte Code
D	None of these

<b>Id</b>	<b>88)</b>
Question	Which program will you use to assemble a program written in IL:
A	ildasm
B	clr
C	ilasm
D	All the above

<b>Id</b>	<b>89)</b>
Question	A 'for' loop will run faster in VB.NET or C# ?
A	VB.NET
B	C#
C	Both of them will run equally fast.
D	None of the mentioned

<b>Id</b>	<b>90)</b>
Question	What's the difference between a class field property?
A	A field always has Get and Set Methods
B	A property always has Get and Set Methods
C	Both 1 and 2
D	None of the mentioned

<b>Id</b>	<b>91)</b>
Question	Classes from which namespace will have to be used to read or write to a file ?
A	System.FileObjects
B	System.FileSystem
C	System.IO
D	System.Input/Output

<b>Id</b>	<b>92)</b>
Question	The metadata stored in the assembly is called:
A	Assembly Info
B	manifest
C	Assembly Data
D	None of the mentioned

<b>Id</b>	<b>93)</b>
Question	My.Application.Log.WriteEntry, by default, writes to the file:
A	Applog.Log
B	Application.Log
C	assemblyname.log
D	None of the mentioned

<b>Id</b>	<b>94)</b>
Question	To determine the folder in which your application is placed you can use:
A	My.Computer.CurrentFolder
B	My.Application.CurrentFolder
C	My.System.CurrentFolder
D	All of the mentioned above

<b>Id</b>	<b>95)</b>
Question	Select the keyword used to refer the name space in our code in VB.Net
A	Using
B	Package
C	Imports
D	None of the mentioned



<b>Id</b>	<b>96)</b>
Question	How does VB.NET instantiates the .NET object
A	Using NEW keyword
B	Using CREATEOBJECT keyword
C	Using GETOBJECT keyword
D	Both A & B

<b>Id</b>	<b>97)</b>
Question	How do you Dereference an Object in VB.NET?
A	By setting the object to Null
B	With Close keyword
C	By setting the object to Nothing
D	None of the mentioned

<b>Id</b>	<b>98)</b>
Question	How do you Create Constructors in VB.NET?
A	Create a method and name it with the same name as class name
B	Create a method and which is named as New
C	Create a method and which is named as Initialize
D	None of the mentioned

<b>Id</b>	<b>99)</b>
Question	How do you enable Strict Type Checking in VB.NET
A	With OPTION STRICT ON keyword
B	With OPTION EXPLICIT Keyword
C	With OPTION STRICT OFF keyword
D	All of the mentioned

<b>Id</b>	<b>100)</b>
Question	Can you create Windows Services using VB.Net
A	Yes
B	No
C	Not always
D	None of the mentioned

<b>Id</b>	<b>101)</b>
Question	..... property on windows forms, gets or sets the size and location of the form on the windows desktop.
A	Client size
B	Size
C	Desktop Bounds
D	Bounds

<b>Id</b>	<b>102)</b>
Question	Windows forms public object property, ..... gets or sets the bounding rectangle for the form.
A	Client size
B	Size
C	Desktop Bounds
D	Bounds

<b>Id</b>	<b>103)</b>
Question	..... method on windows forms public object methods, gets the child control that is located at the specified co-ordinates.
A	Get Child At Point
B	Get Next Control
C	Get Child Control
D	Get Child Point

<b>Id</b>	<b>104)</b>
Question	..... method finds the location of the specified screen point to client co-ordinates.
A	Point Client
B	Get Client
C	Point To Client
D	Focus Client

<b>Id</b>	<b>105)</b>
Question	..... event occurs when a key is pressed while the form has the focus.
A	Key down
B	Key press
C	Key up
D	Key Enter

<b>Id</b>	<b>106)</b>
Question	In the new sub procedure of windows forms, the code calls a procedure named ....., which adds and arranges the controls in the form.
A	Initialize Component
B	Add Componant
C	New Componet
D	Sub Component

<b>Id</b>	<b>107)</b>
Question	..... keyword is used to refer to the current object.
A	Current
B	Me
C	This
D	This Form

<b>Id</b>	<b>108)</b>
Question	The possible values for the Form Border Style property is/are the following: i) Fixed3D ii) None iii) Fixed Single iv) Variable Dialog
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>109)</b>
Question	Form's ..... property is used to specify the initial position on the screen.
A	Initial Position
B	Start Position
C	Start Screen
D	Initial Screen

<b>Id</b>	<b>110)</b>
Question	We can assign form's start position property values from the Form Start Position enumeration, with the following values: i) Center part ii) Center Screen iii) Manual iv) Location
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>111)</b>
Question	Which of the following is the correct way of assigning value "center screen" for form's start position property.
A	StartPosition.Form1=FormStartPosition.CenterScreen
B	Form1.StartPosition=CenterScreen.FormStartPosition
C	Form1.StartPosition=FormStartPosition.CenterScreen
D	Form1.StartPosition=FormStartPosition.Location.CenterScreen

<b>Id</b>	<b>112)</b>
Question	..... class is built into the .Net Framework to display messages and accept input from the user.
A	Msgbox
B	MessageBox
C	InputDialog
D	DisplayBox

<b>Id</b>	<b>113)</b>
Question	..... is a string expression displayed as the message in the dialog box.
A	Prompt
B	Message
C	Expression
D	Dialog

<b>Id</b>	<b>114)</b>
Question	Which of the following is/are the possible values of MsgBoxResult returned from MsgBox function: i) Ok ii) Cancel iii) Abort iv) Retry v) Ignore
A	i, ii, iii and v only
B	i, ii, iii and iv only
C	ii, iii, iv and v only
D	All i, ii, iii, iv and v

<b>Id</b>	<b>115)</b>
Question	..... is one of the MessageBoxDefaultButton enumeration values that specifies which is the default button for the message box.
A	Default Button
B	Message Button
C	Message Box
D	Default Message

<b>Id</b>	<b>116)</b>
Question	Which of the following is NOT the MessageBoxButtons enumeration value.
A	Ok
B	Ok Cancel
C	None
D	Yes No

<b>Id</b>	<b>117)</b>
Question	Which of the following is/are the MessageBoxIcon enumeration values: i) Astrisk ii) Error iii) Hand iv) Ok
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>118)</b>
Question	..... property returns a value of the ..... enumeration when the dialog box is closed.
A	Dock Padding
B	Dialog Result
C	Dialog Padding
D	Dock Result

<b>Id</b>	<b>119)</b>
Question	..... property of windows form sets the padding used between docked controls and the form's edge.
A	Dock Padding
B	Dialog Result
C	Dialog Padding
D	Dock Result

<b>Id</b>	<b>120)</b>
Question	The Get and Set methods in the ..... property to get and set the text in the text box.
A	Get data
B	Text data
C	Text property
D	Get Set

<b>Id</b>	<b>121)</b>
Question	In mouse cursor option ..... is a cursor for mouse wheel operations when the mouse is moving and the window is scrolling horizontally and vertically downward to the left.
A	PanSE
B	PanSW
C	PanSouth
D	PanNW

<b>Id</b>	<b>122)</b>
Question	In mouse cursor option ..... is a cursor for mouse wheel operations when the mouse is moving and the window is scrolling vertically in an upward direction.
A	PanSE
B	PanSW
C	PanSouth
D	PanNorth

<b>Id</b>	<b>123)</b>
Question	..... is a signed count of the number of rotation of the mouse wheel.
A	Alfa
B	Delta
C	Wheel rotation
D	Rotation count

<b>Id</b>	<b>124)</b>
Question	Most of the functionality of the text box control is simply inherited from the ..... class, which is also the a base class for the rich text box control.
A	Text Box Control
B	Rich Text Box
C	Text Box Base
D	Text Box

<b>Id</b>	<b>125)</b>
Question	..... control is generally used for editable text although it can also made read only.
A	Text Box Control
B	Rich Text Box
C	Text Box Base
D	Text Box

<b>Id</b>	<b>126)</b>
Question	We can limit the amount of text entered into TextBox control by setting ..... property to a specific number of characters.
A	Max Length
B	Total Length
C	Text Amount
D	Text Limit

<b>Id</b>	<b>127)</b>
Question	<u>Text Box controls</u> also can be used to accept password if the ..... property is used to mask characters.
A	Password Char
B	Password Character
C	Mask Char
D	Password Control



<b>Id</b>	<b>128)</b>
Question	Each hyperlink is an object of the ..... class and is stored in a collection called links.
A	Hyper Link. Link
B	Link Label. Link
C	Link. Link Label
D	Link. Hyperlink

<b>Id</b>	<b>129)</b>
Question	Which of the following is NOT the public properties of Text Box objects.
A	Auto Size
B	Back Color
C	Bullet Indent
D	Max Length

<b>Id</b>	<b>130)</b>
Question	Which of the following is/are the public methods of Text Box objects: i) Clear ii) Paste iii) Load File iv) Paste
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>131)</b>
Question	Which of the following is NOT the public events of Text Box objects.
A	Auto size changed
B	Read only Changed
C	Click
D	Link Clicked

<b>Id</b>	<b>132)</b>
Question	Which of the following is/are the ways of add scroll bars to a text box using scroll bars property: i) None ii) Horizontal iii) Vertical iv) Both
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>133)</b>
Question	In order for the scroll bars to actually appear, the text box's ..... property must be True.
A	Multi Line
B	Multi Text
C	Scrolling
D	Multi Visible

<b>Id</b>	<b>134)</b>
Question	Which of the following is NOT the public property of Rich Text Box Objects.
A	Detect URLs
B	Detect Text
C	Bullet Indent
D	Right Margin

<b>Id</b>	<b>135)</b>
Question	Which of the following is/are the public methods of Rich Text Box objects. i) Can Delete ii) Find iii) Load File iv) Select All
A	i, ii and iii only
B	ii, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>136)</b>
Question	The Save File method is used to save the text in a rich text box to disk, and the ..... method to read it back.
A	Load File
B	Read File
C	Read It
D	Read Back

<b>Id</b>	<b>137)</b>
Question	Which of the following is/are the values of Text Align property that takes from content Alignment enumeration. i) Bottom Center ii) Middle Top iii) Top Left iv) Middle Left
A	i, ii and iii only
B	i, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>138)</b>
Question	Which of the following is/are the public properties of Link Label objects. i) Active Link Color ii) Link Size iii) Link Behavior iv) Links
A	i, ii and iii only
B	i, iii and iv only
C	i, ii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>139)</b>
Question	Hyperlinks can be created using the ..... method in LinkClicked event handler.
A	System.Diagnostics.Process.Start
B	System.Diagnostics.Hyperlinks.Start
C	System.Diagnostics.Link.Start
D	System.Diagnostics.Link.Event

<b>Id</b>	<b>140)</b>
Question	In order to get the text associated with the link, ..... method can be used.
A	e.Data.Link.ToString
B	e.Link.LinkData.ToString
C	e.LinkData.Link.ToString
D	e.Link.Data.ToString

<b>Id</b>	<b>141)</b>
Question	..... datatype in <u>.Net FCL</u> corresponds integer data type in vb.net.
A	System.Int32
B	System.Int64
C	System.Int16
D	System. Number

<b>Id</b>	<b>142)</b>
Question	The data type in visual basic .net equivalent to ..... data type in .net FCL.
A	System.Date
B	System.DateTime
C	System.Time
D	System.DateFormat

<b>Id</b>	<b>143)</b>
Question	..... are symbols used to perform operations; like +, which performs addition operations, -, which performs subtraction operations and so on.
A	Keywords
B	Operators
C	Variables
D	Expressions

<b>Id</b>	<b>144)</b>
Question	..... are symbolic names given to values stored in memory and declared with the Dim keyword.
A	Keywords
B	Operators
C	Variables
D	Expressions

<b>Id</b>	<b>145)</b>
Question	The keyword ....., gives variables protected access, which means they are accessible only from within their own class.
A	Protected
B	Friend
C	Protected Friend
D	Private

<b>Id</b>	<b>146)</b>
Question	The variables in ..... access means they are accessible only from within their declaration context, including any nested procedures.
A	Protected
B	Friend
C	Protected Friend
D	Private

<b>Id</b>	<b>147)</b>
Question	The ..... variable is not associated with a specific instance of a class or structure.
A	Protected
B	Shared
C	Shadows
D	Friend

<b>Id</b>	<b>148)</b>
Question	The ..... variable are accessible from within the program that contains their declaration, as well as anywhere else in the same assembly.
A	Protected
B	Friend
C	Protected Friend
D	Private

<b>Id</b>	<b>149)</b>
Question	..... is used to declare arrays; which gives upper bounds of the dimensions of an array variable.
A	bound
B	bound array
C	bound list
D	bound table

<b>Id</b>	<b>150)</b>
Question	..... function in vb.net is used to convert character code to character.
A	Char
B	Format
C	Convert
D	Chr

<b>Id</b>	<b>151)</b>
Question	..... function in vb.net converts character to character code.
A	Chr
B	Val
C	Asc
D	Str

<b>Id</b>	<b>152)</b>
Question	..... function in vb.net converts string to number data type.
A	Chr
B	Val
C	Asc
D	Str

<b>Id</b>	<b>153)</b>
Question	Which of the following string handling functions and methods are used to compare two strings. i) Str Comp ii) String. Compare iii) String. Equals iv) String.CompareTo
A	i, ii and iii only
B	ii, iii and iv only
C	i, iii and iv only
D	All i, ii, iii and iv

<b>Id</b>	<b>154)</b>
Question	The string handling function, “Mid” in visual basic .net is used to ..... i) get a substring ii) insert a substring iii) remove text iv) format string
A	i and ii
B	ii and iii
C	iii and iv
D	i and iii

<b>Id</b>	<b>155)</b>
Question	The ..... property in array class of vb .net, returns an integer indicating the number of dimensions of the array.
A	sort
B	reverse
C	rank
D	index of

<b>Id</b>	<b>156)</b>
Question	State the following statements are True or False for arrays in visual basic .net are i) Array are objects in vb .net ii) Array variables can have the public, protected, friend, private or protected friend specifier
A	True, False
B	False, True
C	True, True
D	False, False

<b>Id</b>	<b>157)</b>
Question	In Int32structure ..... function converts the string representation of a number of its Int32 equivalent.
A	parse
B	reverse
C	rank
D	index of

<b>Id</b>	<b>158)</b>
Question	Visual Studio .NET provides which feature:
A	debugging
B	application deployment
C	syntax checking
D	All of the mentioned

<b>Id</b>	<b>159)</b>
Question	What does IDE stand for?
A	Integrated Design Environment
B	Integrated Development Environment
C	Interior Design Environment
D	Interior Development Environment

<b>Id</b>	<b>160)</b>
Question	Which type of project can a developer choose in the New Project dialog box?
A	Visual Basic Projects
B	Visual C++ Projects
C	Visual C# Projects
D	All of the above

<b>Id</b>	<b>161)</b>
Question	Using a _____ variable does not enable us to create read-only properties that are often required by a class.
A	public
B	private
C	protected
D	friend



<b>Id</b>	<b>162)</b>
Question	A _____ performs invisible tasks even if you write no code.
A	destructor
B	private method
C	constructor
D	function

<b>Id</b>	<b>163)</b>
Question	The _____ does not describe inherited member functions, inherited operators, and overridden virtual member functions.
A	Class Library Reference
B	Library
C	Objects
D	Classes

<b>Id</b>	<b>164)</b>
Question	The _____ group classes according to their common services.
A	objects
B	inheritance
C	Namespaces
D	programs

<b>Id</b>	<b>165)</b>
Question	Whenever an application is created, a _____ is added.
A	Form
B	Class
C	Property
D	Object

<b>Id</b>	<b>166)</b>
Question	_____ are interactive objects that you place in dialog boxes or other windows to carry out user actions.
A	Controls
B	Objects
C	Classes
D	Forms

<b>Id</b>	<b>167)</b>
Question	The _____ class provides static methods to start, stop, or filter Windows messages in an application.
A	Forms
B	Windows
C	Application
D	Control

<b>Id</b>	<b>168)</b>
Question	The _____ is a systematic class framework used for the development of system tools and utilities.
A	.Net Framework Class Library (FCL)
B	.Net tools
C	Visual Basic 2005
D	Visual Basic 6

<b>Id</b>	<b>169)</b>
Question	The _____ method converts the value of this instance to a double representing the OLE automation date.
A	From OA Date
B	Today
C	Now
D	None of the mentioned

<b>Id</b>	<b>170)</b>
Question	The _____ enable us to pass data between a program and a class.
A	Functions
B	Properties
C	Procedures
D	Variables

<b>Id</b>	<b>171)</b>
Question	The name of the IDE window that allows you to see the hierarchical arrangement of the files in your project is
A	Server Explorer
B	Project Explorer
C	Solution Explorer
D	None of the above

<b>Id</b>	<b>172)</b>
Question	This view is not present in VB.NET
A	Project Explorer
B	Class View
C	Resource View
D	Server Explorer

<b>Id</b>	<b>173)</b>
Question	_____ converts to long datatype
A	Clong
B	CLng
C	Lng
D	None of the above

<b>Id</b>	<b>174)</b>
Question	A Dataset can hold multiple tables even if there are similar fields.
A	True
B	False
C	Maybe
D	Not always

<b>Id</b>	<b>175)</b>
Question	The default event handler of TextBox is
A	Key Press
B	Changed
C	Text Changed
D	Validating

<b>Id</b>	<b>176)</b>
Question	To make a button the default button, this property of the form must be set
A	Default Button
B	Reject Button
C	Dialog Result
D	None of the above

<b>Id</b>	<b>177)</b>
Question	The Selection Mode property of a Checked List Box can be set only to
A	One
B	Multi Simple
C	Multi Extended
D	None of the mentioned

<b>Id</b>	<b>178)</b>
Question	Domain Up Down control is used only for strings and Numeric Up Down for numbers.
A	True
B	False
C	Maybe
D	Not always

<b>Id</b>	<b>179)</b>
Question	You can assign a Main Menu to any control
A	True
B	False
C	Maybe
D	Not always

<b>Id</b>	<b>180)</b>
Question	Folder Browser Dialog displays
A	File
B	Folder
C	Drives
D	B and C

<b>Id</b>	<b>181)</b>
Question	To use Help Provider, the following properties of the form needs to be set
A	Help Button
B	Maximize Box
C	Minimize Box
D	All of the mentioned above

<b>Id</b>	<b>182)</b>
Question	Data from Data Set is accessed using34
A	Binding Object
B	Bind Context Object
C	Binding Context Object
D	End Current Edit Object

<b>Id</b>	<b>183)</b>
Question	In ADODB the _____ property is used to connect to the table
A	Record Set
B	Data Source
C	Record Source
D	Connection

<b>Id</b>	<b>184)</b>
Question	VB.NET does not support control arrays
A	True
B	False
C	Not always
D	None of the mentioned

<b>Id</b>	<b>185)</b>
Question	Using OLEDB you can connect more than one table
A	True
B	False
C	Not always
D	None of the mentioned

<b>Id</b>	<b>186)</b>
Question	VB.NET supports Multi Level Inheritance
A	True
B	False
C	Not always
D	None of the mentioned

<b>Id</b>	<b>187)</b>
Question	Structured and Unstructured exceptions can't be mixed
A	True
B	False
C	Not always
D	None of the mentioned

<b>Id</b>	<b>188)</b>
Question	You create a User Control having a Text Box and include that in a separate Form. Can you use all the properties of the Text Box in the User Control from that Form?
A	Yes
B	No
C	Always
D	None of the mentioned

<b>Id</b>	<b>189)</b>
Question	Using My Base you can call base class
A	Constructor
B	Method
C	Variables
D	All of the mentioned

<b>Id</b>	<b>190)</b>
Question	A thread can be started only once
A	Yes
B	No
C	Not always
D	None of the mentioned

<b>Id</b>	<b>191)</b>
Question	If a Label control's Auto Size property is set to True, can you resize the control
A	Yes
B	No
C	Always
D	None of the mentioned

<b>Id</b>	<b>192)</b>
Question	This view pops up if "Ctrl+F1" is pressed
A	Help
B	Properties Window
C	Dynamic Help
D	Server Explorer

<b>Id</b>	<b>193)</b>
Question	A MsgBox can have maximum _____ button(s).
A	1
B	2
C	3
D	4

<b>Id</b>	<b>194)</b>
Question	Two commands can be written in the same line using _____
A	:
B	;
C	,
D	.

<b>Id</b>	<b>195)</b>
Question	If Must Override is used then _____ is also a must.
A	Overridable
B	Inherits
C	Must Inherit
D	None of the mentioned

<b>Id</b>	<b>196)</b>
Question	Scroll Bars can be added to
A	Panel
B	Group Box
C	Both A and B
D	None of the above

<b>Id</b>	<b>197)</b>
Question	In reports _____ property help to assign user-defined criteria.
A	Report Source
B	Section Formula
C	Query
D	Selection Formula

<b>Id</b>	<b>198)</b>
Question	We need multiple Error Providers from multiple controls.
A	True
B	False
C	Always
D	None of the mentioned

<b>Id</b>	<b>199)</b>
Question	To display multiple columns in List View the View property must be set to
A	Small Icon
B	Large Icon
C	Details
D	List

<b>Id</b>	<b>200)</b>
Question	In List View the item that is currently selected is determined by
A	Selected Item
B	Item
C	Focused Item
D	Get Selected

\*\*\*\*\*ALL THE BEST\*\*\*\*\*