

DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatuonline.com)

INVITATION FOR QUOTATION

Our Ref No.: DBATU/Store/Estab./Face Biometric Machine/2021/

Date: 17/08/2021

Quotation For: Face Biometric Machine

Due On: 25/08/2021

Date of Opening: 26/08/2021

Time: 11.30 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 25/08/2021.

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the
 quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s
 Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be clearly marked with our reference No and date of this quotation. It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
- 8. Quotation received after the date of opening may not be taken into consideration.
- 9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second hand.
- 11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

- 12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
- 13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
- 14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
- 15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description / Specification	Make	Approx.	Rate per /	Remarks
1 It of	Face Recognition Technology: Local Server Based Type of Face Recognition Biometric: Embedded Linux Based Face Storage Capacity: 5000 Fingerprint Scanning Feature: No	Joshinae Aggus su	Qty Req.	Each / Unit	Dome i
	Maximum Attendance Log: 10000 Management Log	,916 19163 31.1916461	Self one the	nedation, sta	
	Hardware Specification Screen Size (Minimum) : 7 inch Screen Type : Touch Screen resolution : 768 X 480		o gribalizacio	esta grubeq rollsteup tudy	
	Processor Speed (GHz) : 1.3 RAM : 1024 megabyte Storage : 2048 Megabyte	nay ramas navios visi navios vis	3	elspatching sea Envelope, shou	
	Micro SD Card Support : Yes If yes, storage Expendability (through Micron 4 Number of USB Ports Number of Micro USB Ports	the format ed as per	ted as befold age as block	oursour so de la enc _{ele} stour self enceles de la	
	Front Camera (Megapixel) Network Connectivity: LAN+ Wi Fi Audio Output Voice Interface: Voc	i seraning dig Office o	se notretoue	em in grano jo notrstovo in M	
	Biometric Attendance System Identity Mode : Face and FP and Card and PIN (all Display Language: English Communication : TCP/IP	go te essi	ent agfilit bevi	opening. Orotation sece	
	Encryption (AES) Liveness Detection Method : Texture BAWS	e selection of the s	ilmes hiyons a s anothes? se	tons (endered are no so	
	Identification Time (Maximum) :1 second Matching Modes: 1: N (1) 1:1(1 Enrolment Time: 1 second	ons filly	scorgance	spicetion in	

False Acceptance Rate (FAR):<0.01% False Rejection Rate (FRR) >1% Minimum Face Size for Detection (Pixel):50X50 Minimum Face Size for Recognition :100X100 Registration Face Template Size (KB) Recognition Face Template Size (KB) Partial Facial Occlusion Recognition : Yes Beards and Hairstyles Recognition: Yes Sunglasses Recognition: Yes Irregular Lighting Recognition: No STQP Certified Finger print Scanner: No If Yes, STQC Certificate number for :R-41059382 If Yes, STQC Certificate Date & Validity for 23.01.2023 Fool Proof System based on novel liveness: Yes Application Supported on Device bundled: Yes Device Operating System : Linux Casing Device Casing Material: Acrylic Ingress Protection Rating(IP) **MISCELLANEOUS** RoHS Compliance: Yes BIS Registration under CRS of Meity: Yes If yes, BIS Registration under, date and its R-41059382 Other Certifications available: CE.FCC Minimum Operating Temperature:-20degree Celsius Maximum Operating Temperature:-45degree Celsius Minimum Storage Temperature: -20degree Celsius Maximum Storage Temperature:60degree Celsius Minimum Operating Humidity (RH)(%) Maximum Operating Humidity (RH)(%) Power Source: 230v+/-10%VAC,50Hz Dimensions (mm X mm X mm) 220*95*35* Weight: 180 gram Type Test Certificate Covering all: Yes If yes, TTC number and Date R-41059382 If yes, Name of the Lab : BIS If Yes, Address of the Lab: NEW DELHI OTHER OPTIONS Availability of Mobile Device Management: Yes Mobile Device Management (MDM) License: 1 Year Mobile Device Management Hosting (MDM): Cloud Based STORAGE Cloud Storage: For 500 users INSTALLATION On Site installation: Yes WARRANTY On site OEM Warranty (Year)

Quantity may vary

As Per Attached Annexure - I

Face Reorganization Biometric

FEATURES	DESCRIPTION		
Quantity	3		
Face Recognition Technology	Local Server Based		
Type of Face Recognition Biometric Attendance System	Embedded Linux Based		
Face Storage Capacity	5000		
If Yes, Fingerprint Storage Capacity	5000		
Maximum Attendance Log	500000		
Management Log	10000		
HARDWARE SPECIFICATION			
Screen Size (Minimum)	7 inch		
Screen Type	Touch		
Screen Resolution	768 x 480		
Processor Speed (GHz)	1.3		
RAM	1024 megabyte		
Storage	2048 megabyte		
Micro SD Card Support	Yes		
If Yes, Storage Expandibility (through Micro SD Card)	4		
Number of USB Ports	1		
Number of Micro USB Ports	1		
Front Camera (Megapixel)	2		
Network Connectivity	LAN + Wi Fi		
Audio Output Voice Interface	Yes		
Biometric Attendance System Specification			
Identify Mode	Face and FP and Card and PIN (All Combination)		
Display Language	English		
Communication	TCP/IP		
Encryption (AES)	256		
Liveness Detection Method	Texture Based		
Identification Time (Maximum)	1 second		
Matching Modes	1:N(1) 1:1(1)		

FEATURES	DESCRIPTION
Enrolment Time	1 second
False Acceptance Rate (FAR)	≤ 0.01%
False Rejection Rate (FRR)	≤ 1%
Minimum Face Size for Detection (Pixel)	50 x 50
Minimum Face Size for Recognition	100 x 100
Registration Face Template Size (KB)	8
Recognition Face Template Size (KB	10
Partial Facial Occlusion Recognition	Yes
Beards and Hairstyles Recognition	Yes
Sunglasses Recognition	Yes
If Yes, STQC Certificate number for Fingerprint Scanner	R-41059382
If Yes, STQC Certificate Date & Validity for Fingerprint Scanner	23.01.2023
Fool Proof System based on novel liveness detection algorithms to avoid impersonation/fraud	Yes
Application Supported on Device bundled with Face Recognition Software	Yes
Device Operating System	Linux
Casing	
Device Casing Material	Acrylic
Ingress Protection Rating (IP)	54
MISCELLANEOUS	
RoHS Compliance	Yes
BIS Registration under CRS of Meity	Yes
If Yes, BIS Registratin number, date and its validity	R-41059382
Other Certifications available	CE,FCC
Minimum Operating Temperature	-20 degree Celsius
Maximum Operating Temperature	45 degree Celsius
Minimum Storage Temperature	-20 degree Celsius
Maximum Storage Temperature	60 degree Celsius
Minimum Operating Humidity (RH) (%)	20
Maximum Operating Humidity (RH) (%)	80

FEATURES	DESCRIPTION		
Power Source	230 V +/- 10% V AC, 50 Hz		
Dimensions (mm x mm x mm)	220*95*35		
Weight	180 gram		
Type Test Certificate Covering all parameters and Environmental tests from STQC certified lab	Yes		
If Yes, TTC number and Date	R-41059382		
If Yes, Name of the Lab	BIS		
If Yes, Address of the Lab	NEW DELHI		
OTHER OPTIONS			
Availability of Mobile Device Management (MDM) Support	Yes		
Mobile Device Management (MDM) License and Support	1 Year		
Mobile Device Management Hosting (MDM)	Cloud Based		
STORAGE			
Cloud storage	For 500 users		
INSTALLATION			
On site installation	Yes		
WARRANTY			
On Site OEM Warranty (Year)	1		