

## DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatuonline.com)

## INVITATION FOR QUOTATION

2 6 OCT 2021

Our Ref No.: DBATU/Store /Proc&e-tender/photo frame/ 2021/ 2088

Date: 25/10/2021

Quotation For: Photo frame of Chh.Shivaji Maharaj & Dr.B.R.Ambedkar

Due On: 8/11/2021

**Date of Opening:** 9/11/2021 Time: 11:30 am

To,

## Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 8/11/2021

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- 2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
- 8. Quotation received after the date of opening may not be taken into consideration.
- 9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second1 hand.
- 11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

- 12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
- 13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
- 14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
  - 15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

## List of Items

Sr. No.	<b>Description</b>	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
1	Photo frame of Chh.Shivaji Maharaj & Dr.B.R.Ambedkar  • Government copy size 18x24 waterproof print • Wooden dubbel chi frame 2.5 inch • Western hard board • 2mm glass		25+25=50		
2	<ul> <li>Wooden single chi frame 2.5 inch</li> <li>Western hard board</li> <li>2mm glass</li> </ul>				
3	<ul> <li>Fiber single frame</li> <li>Western hard eard board</li> <li>2mm glass</li> </ul>				
4	<ul> <li>Fiber dubbel chi frame 2.5 inch</li> <li>Western hard board</li> <li>2mm glass</li> </ul>				
5	<ul> <li>Sketch of Dr. Babasahed Ambedkar 5 feet height 2.5 feet width with wooden frame</li> </ul>		e bilion montanti		

Quantity may vary

10 1.15