



**DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE**

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

**INVITATION FOR QUOTATION**

**15 NOV 2022**

Our Ref No. : DBATU/Store /ICT/ MFP /2022/2260

Date: 09/11/2022

Quotation For : HP LaserJet Multifunction Printer

Due On: 21/11/2022

Date of Opening: 22/11/2022

Time: 11.30 am

To,

**Sub: QUOTATION FOR THE SUPPLY OF STORE**

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 21/11/2022

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "**Quotation for reference No..... of dated.....**" It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.

14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.

15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

**List of Items**

Sr. No.	Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
1.	HP LaserJet Multifunction Printer (Detailed specification as per Annexure I)		01		

➤ Quantity may vary

**Annexure - I**

Sr. No.	Model	HP LaserJet MFP M233sdw Printer
1	Print	Print, copy, scan
2	Duplex print options	Auto-duplex
3	Print speed <sup>7</sup>	Black (A4, normal): Up to 29 ppm; Black (A4, duplex): Up to 18 ipm
4	First page out <sup>8</sup>	Black (A4, ready): As fast as 7 sec; Black (A4, sleep): As fast as 7.6 sec
5	Print technology	Laser
6	Print resolution	Black (best) Up to 600 x 600 dpi
7	Print cartridges number	1 (black)
8	Standard print languages	PCLmS; URF; PWG
9	Printer management	HP Printer Assistant (UDC); HP Device Toolbox
10	Scan technology	Type: Flatbed, ADF
11	Scan speed <sup>11</sup>	Normal (A4): Up to 19 ppm (b&w); up to 10 ppm (color)
12	Scan resolution	Hardware: 600 x 1200 dpi; Optical: Up to 600 dpi
13	Scan Size	Flatbed: 297 x 216 mm; ADF: 215.9 x 355.6 mm
14	Scan input modes	HP Smart App; and user applications via Twain
15	Scan le format	JPEG, TIF, PDF, BMP, PNG
17	Copy speed	Black (A4, normal): Up to 29 cpm; Black (A4, duplex): Up to 18 cpm
18	First copy out	Black (A4): As fast as 8 sec; Black (A4, sleep): As fast as 8.1 sec
20	Max no of copies	Up to 99 copies
21	Copier resize	25 to 400%
22	Copier settings	Reduce/Enlarge; Number of Copies; Lighter/Darker; Optimize; Paper size/type. It supports collation and single-sided on ADF bundles.
23	Standard connectivity	1 Hi-Speed USB 2.0; 1 Fast Ethernet 10/100Base-TX; 1 Dual-band (2.4/5.0GHz) Wireless 802.11b/g/n with Bluetooth® Low Energy

24	Mobile printing capability	Apple AirPrint™; HP Smart App; Mopria™ Certified; Wi-Fi® Direct Printing
25	Wireless capability	1 built-in Wi-Fi 802.11b/g/n
26	Network capabilities	1 Ethernet 10/100Base-TX; 1 built-in Wi-Fi 802.11b/g/n
27	Memory	Standard: 64 MB; Maximum: 64 MB
28	Processor speed	500 MHz
29	Duty cycle (monthly)	Up to 20,000 pages; Recommended monthly page volume: 200 to 2,000
30	Auto document feeder capacity	Standard, 40 sheets
31	Input	150-sheet input tray
32	Output	100-sheet output tray
33	Media types	Paper (laser, plain, rough, vellum), Envelopes, Labels, Cardstock, Postcard
34	Media weight	Supported (metric): 60 to 163 g/m <sup>2</sup> Recommended (duplex, metric): 60 to 105 g/m <sup>2</sup>
35	Media Sizes Custom	101.6 x 152.4 to 216 x 356 mm
36	Dimensions (w x d x h)	418.0 x 308.0 x 294.4 mm
37	Weight	9.5 kg
38	Compatible operating systems	Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Microsoft® Internet Explorer. Apple® macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required; USB; Linux (For more information, see <a href="https://developers.hp.com/hp-linux-imaging-and-printing">https://developers.hp.com/hp-linux-imaging-and-printing</a> )
39	Minimum system requirements	PC: Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer.; Mac: Apple® macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required
40	Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; Update to OpenSSL version 1.1.1; enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
41	Control panel	Icon LCD; 5 lights (Status, Media, Attention, Toner, Lid open); 10 buttons (Power, Info, Wi-Fi, Resume, Cancel, Plus, Menu, Minus, Copy, ID copy)
42	Display	1.6" Icon LCD

43	Ecolabels	CECP
44	Sustainable impact specifications	Mercury free
45	Power	<p>Power supply type: Built-in 110V or 200V Power Supply;  Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 4.8 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 2.8 A. Not dual voltage, power supply varies by part number with # Option code identifier.; Power consumption: 453 watts (active printing), 3.3 watts (ready), 0.6 wats (sleep), 0.6 watts (Auto Off/Wake on LAN enabled at shipment), 0.04 watts (Auto-off/Manual-on), 0.04 (anual Off); Typical Electricity Consumption number10: 0.256 kWh/Week (Energy Star); 0.684 kWh/Week (Blue Angel)</p>
46	Acoustics	<p>Acoustic power emission: 6.6 B(A) ; Acoustic power emissions (ready): 2.6 B(A) ; Acoustic pressure emissions bystander (active, printing): 51 dB(A) ; Acoustic pressure emissions bystander (ready): 16 dB(A)</p>
47	Environmental ranges	<p>Operating temperature range: 15 to 32.5°C ;  Recommended operating temperature: 17.5 to 25°C ;  Non-operating humidity range: 10 to 90% RH ; Operating humidity range: 10 to 80% RH ;  Recommended operating humidity range: 30 to 70% RH</p>
48	Safety approvals and requirements	<p>EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950-1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC/EN 60825-1 3rd Edition; EN 62479:2010 / IEC 62479:2010</p>
49	Supported network protocols	<p>TCP/IP: IPv4; IPv6; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; SNMP v 1/2/3; HTTP/HTTPS; UDP; IPP</p>
50	Warranty	1 Year