

DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

1 2 JAN 2023

Our Ref No. : DBATU/Store / Petrochemical / Vapour Liquid Equillibria / 2022 / 185 Date: 07/01/2023

Quotation For: Vapour Liquid Equillibria Due On: 23/01/2023

Date of Opening: 24/01/2023 Time: 11.30 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 23/01/2023

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- 2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be super-scribed "Quotation for reference No...... of dated....." It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
- 8. Quotation received after the date of opening may not be taken into consideration.
- 9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second1 hand.
- 11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

- 12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
- 13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
- 14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
- 15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description	Make	Approx Qty Req.	Rate per / Each / Unit	Remarks
01	Vapor Liquid Equilibria (VLE) Set up				
	Distillation still: 1 Ltrs. Capacity, made of Stainless Steel.	_ 1 see			
	Insulated by ceramic wool.	111 122			
	Condenser: Concentric Tube type				- P
	Heater: Nichrome wire				
	Cooling Water Tank: Material Stainless Steel, Capacity 15 Ltrs.				
	(approx.)		01		
	Cold Water circulation: Using FHP Pump.	Al to			
	Temperature Sensors : RTD PT-100 type				
	Control panel comprising of: Digital Voltmeter: 0-300 Volt.				
	Dimmerstat: 0-230 V, 2A.				
	Digital Temp. Indicator: 0-199.9°C RTD PT-100 Type with				
	multi-channel switch	14.5			
	Illutti-cutainter switch				
		4.5			



At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

12 JAN 2023

Our Ref No.: DBATU/Store / Petrochemical / Vapour Liquid Equillibria / 2022 / 185 Date: 07/01/2023

Quotation For: Vapour Liquid Equillibria

Due On: 23/01/2023

Date of Opening: 24/01/2023

Time: 11.30 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE


Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 23/01/2023

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- 2. The <u>"Terms and Conditions"</u> for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, <u>however rates offered as including all taxes will be more welcome</u>.
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
- 8. Quotation received after the date of opening may not be taken into consideration.
- 9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second1 hand.

11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.







- 12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
- 13. It would be appreciated if illustrated catalogues/Literature etc is furnished quotation.
- 14. Expression to as "Complete with standard Equipment" complete with standard accessories
 "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.

15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

o.	Description	Make	Approx Qty Req.	Rate per / Each / Unit	Remark
L	Vapor Liquid Equilibria (VLE) Set up				-
	Distillation still: 1 Ltrs. Capacity, made of Stainless Steel.				
	Insulated by ceramic wool.				
	Condenser: Concentric Tube type				
	Heater: Nichrome wire				
	Cooling Water Tank: Material Stainless Steel, Capacity 15 Ltrs.	- 11			
	(approx.)	- 3"	01		
	Cold Water circulation: Using FHP Pump.				
	Temperature Sensors: RTD PT-100 type				
	Control panel comprising of: Digital Voltmeter: 0-300 Volt.				
	Dimmerstat: 0-230 V, 2A.				
	Digital Temp. Indicator: 0-199.9°C RTD PT-100 Type with multi-channel switch				