



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

LIMITED ENQUIRY FOR GODEREJ BRAND FURNITURE

INVITATION FOR QUOTATION

Our Ref No.: DBATU/Store/Aurangabad RC/Furniture/23-24/ 171

Date: 22/05 /2023

Quotation: University Secretariat Furniture at Aurangabad RC

Due On:27/05/2023

Date of Opening: 29 /05 /2023

Time: 11:00 AM

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir/Madam,

Your quotation for the items listed overleaf, may please be submitted to the Regional Center C/o Govt. College of Engineering Campus, Osmapura, Aurangabad, so as to reach this office not later than 27/05/2023 at 05:00 PM. While submitting your quotation, the following procedure may please be observed and other points borne in mind.

01. This quotation is very limited in nature and specified for the supply of the furniture with Godrej brand/make only.
02. The place of delivery of the goods is the office of the undersigned at Aurangabad.
03. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, packing and forwarding charges Freight charges, etc. or not. However rates offered as including all taxes will be more welcome.
04. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
05. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R."
06. Envelope consisting of the quotation shall be sealed and be clearly marked with our reference number and date of this quotation. It should also be superscripted as per the format given above.
07. The quotation would be opened as per date and timing given above at the Office of the Registrar, Dr. BATU, Lonere-402103. If desired by you or your authorized representative with a letter of authority can be present at the time of opening of the quotations.
08. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.



12/5/23
22.05.2023

09. Quotation received after the last date and time of submission cannot be taken into consideration.
10. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
11. Your quotation should be for all new items and not for second hand.
12. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
13. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
14. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
15. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
16. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.



Dr. H. S. M. 2
22.05.2023
Officer on Special Duty
Dr. Babasaheb Ambedkar Technological
University Regional Center, Aurangabad

List of Items

Sr. No.	Description / Specification	Appox. Qty.	Rate per/Each Unit	Rate
1.	Godrej make Executive Office Table Model:- TOPAZ MAIN TABLES with ERU attached Pedestal (TOPAZ TBL 2100 LH RU 1200 PDL) Main Table Size:- 2100 W x 1050 D x 750 H ERU/Side Table Size:- 1200 W x 500 D x 750 H Overall Size:- 2100 x 2250 x 750 Specification :- Main Table Work Surface - made of 25 mm thick MDF one side Pre- laminate board confirming to IS-14587 :1998 with 0.4 mm PVC membrane pressed on to top. soft closing access flap with in-build power box are provided on work surface for wire management. ERU/ Side Table Size:- 1200 W x 450 D x 750 H ERU / Side Table work surface - made of 25 mm thick MDF one side Pre- laminate board confirming to IS-14587 :1998 with 0.4 mm PVC membrane pressed on to top. Modesty Panel - Made of 25 mm thick MDF one side Pre- laminate board confirming to IS-14587 :1998 with 0.4 mm PVC membrane pressed on to top. Under structure - Made of 25 mm thick - laminate twin board of E1 - P2 grade & approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm PVC lipping. Integrated Pedestal - Made of 25 mm thick - laminate twin board of E1 - P2 grade & approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm PVC lipping. Drawer fronts side made of 25 mm thick MDF one side Pre- laminate board confirming to IS-1458 :1998 with 0.4 mm PVC membrane pressed on to top. Pedestal construction is Box - Box - File type which Uses powder coated 400 MM long metal panel Drawer slides. Drawer extension is 325 mm. Drawers has soft closing & anti slam mechanism. Handles are provided for ease of opening. Pedestals are provided with lock for security. The manufacturer should compliant and shall have membership/certification from ISO 9001-QMS, ISO14001-EMS,OHSAS 18001,IID & BIFMA. (Variation in the dimensions upto ±100mm is permissible)	01		



2.	<p>Godrej make Executive Revolving Chair Model:- Laseda High Back Chair (Pure leather)</p> <p>Specification:- seat/back assembly : the cushioned seat should be made of injection molded plastic outer & inner. plastic inner should be upholstered with pure leather and moulded high resilience (hr) polyurethane foam of density 45 ± 2 kg/m³, and hardness load 16 ± 2 kgf for 25% compression. the cushioned back should be made of pu foam with insitu molded ms e.r.w round tube of size 1.9 ± 0.03 cm x 0.16 ± 0.0128 cm. it upholstered with pure leather. seat size : 47.6 cm. (w) x 49.2 cm. (d) back size : 47.5 cm. (w) x 77 cm. (d) armrests: the armrest top should be moulded from polyurethane (pu), upholstered in pure leather and mounted on to a drop lift adjustable type tubular armrest support made of 03.81 ± 0.03 cm x 0.2 ± 0.01 cm thk ms e.r.w tube having chrome plated finish. the armrest height adjustable up to 6.5 ± 0.5 cm in 5 steps active bio-synchro mechanism: the adjustable tilting mechanism should be designed with the following features: • 360° revolving type. • front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort. • tilt tension adjustment can be operated in seating position. • 5-position tilt limiter giving option of variable tilt angle to the chair. • seat/back tilting ratio of 1: 2 • the mechanism housing should be made up of hpdc aluminium black powder coated. 4 seat depth adjustment: seat depth adjustment should be integrated in the seat through a sliding mechanism. seat depth adjustment range should be of 6.0 ± 0.5 cm. adjustable back support: back frame should be connected to the up/dn mechanism housed in plastic t spine. it can be adjusted in the range of 7.42 ± 0.5 cm for the comfortable back support to suit individual need. pneumatic ht. adjustment: the pneumatic height adjustment has an adjustment stroke of 10.0 ± 0.3 cm. pedestal assembly the pedestal should be high pressure die cast polished aluminium and fitted with 5 nos. twin wheel castors. the pedestal should be 65.0 ± 0.5 cm. pitch-center dia. (75.0 ± 1.0) cm. with castors. twin wheel castors: the twin wheel castors should be injection moulded in black polypropylene. Overall Dimensions of Chair: Seat Height - 44.5 to 54.5 cm. Height - 114-131.5 cm. Width & Depth of Chair as measured from base - Width - 76.1 cm and Depth - 66.5 cm. All metal components should be pre treated with zinc phosphating in 8 tank process and then powder coated with epoxy polyester powder coating. Test reports conforming to relevant ISI codes for raw material, powder coating/ anodizing with anti-rust surface treatment, etc. Goods should be supplied in knocked down construction and should have low VOC emission. The manufacturer should compliant and shall have membership/certification from ISO 9001-QMS, ISO 14001-EMS, OHSAS 18001, IIR & BIFMA. (Variation in the dimensions upto ± 100 mm is permissible)</p>	01		
3.	<p>Godrej make Executive Visitor Chair Model:- Marvel Visitor Chair (Letherette Chair) HSN Code :- 94017100</p> <p>Seat Assembly :- The cushioned seat is made of injection molded plastic outer & inner. Plastic inner is upholstered with leatherette and molded High Resilience (HR) polyurethane foam is moulded with density $= 45 \pm 1.2$ kg/m³ and hardness 16 ± 2 kgf as per IS:7888 for 25% compression. Back Assembly :- The cushioned seat is made of PU foam with insitu molded M. S.E.R.W. Round tube of size - 1.9 ± 0.03 cm x 0.16 ± 0.0128 cm. It upholstered with Leatherette. Tubular Frame :- The Tubular is cantilever type & made of 0.2 ± 0.03 cm x 0.2 ± 0.016 cm thk S.S. 202 tube. The Back connected to frame through chrome plated high pressure die cast connector piece. The manufacturer should compliant and shall have membership/certification from ISO 9001-QMS, ISO 14001-EMS, OHSAS 18001, IIR & BIFMA. (Variation in the dimensions upto ± 100 mm is permissible)</p>	04		



Dr. Babasaheb Ambedkar Technological University
22.05.2023