INVITATION FOR QUOTATION

Our Ref No.: DBATU/Store/Electrical maint/UPS Batteries /2023/2357

Quotation For: Replacement of UPS batteries at Establishment Section

Date of Opening: 10 / 8 / 2023

2 3 AUG 2023

Date: 26 / 07 /2023

Due On29/8/2023

Time: - 11.00 am

To,

Subi QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than $2^4/9$, 2023

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- 2. The <u>"Terms and Conditions"</u> for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charges Freight charges, etc. or not, <u>however rates offered as including all taxes will be more welcome.</u>
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be clearly marked with our reference No and date of this quotation. It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of its opening.
- 8. Quotation received after the date of opening may not be taken into consideration.
- 9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second hand.
- 11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

- 12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable
- 13. It would be appreciated if illustrated catalogues/Literature etc. is furnished with the quotation.
- 14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
- 15. A Declaration in form I will be issued for 8% sales Tax concession for sales of scientific instruments by a registered dealer, as per Provision made, under Bombay, Sales Tax-Act-1959, vide Section 41, at entry No 1095/37/Taxation 2, dated 22 nd September,1935. If a change in declaration in form I will be issued according to the instruction issued by the Maharashtra Govt time to time.
- 16. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully

(Dr.B.F.Jogi)

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description / Specification	Make	Approx. Qty Req.	Rate per/ Each/ Unit	Remarks
1	Exide 6El 40 Ah Battery :- Capacity :- 40 Ah Brand :- Exide Model No :- 6EL	ing may not cification st	e date of open Irm to the spe	elt refle bevletet Hop blugte be.	Opening. Quotation a Items rend
	Battery Rating :- C-10 Voltage :- 12 V Filled Weight :- 17.9 Kg Approx. Acid :- 4.75 L Dimensions :- 260×173×240 mm Trickle Charge :- 4-160ma Charge Current :-5A Warranty :- 48 Months	s leaves ber a leaves of the l	20 No's	specifications in escordance c catalogue ine quotation ion should be to whether force	specification specification seteration seconfigure Your geome Plants state