



INVITATION FOR QUOTATION

Our Ref No.: DBATU/Store /DoCE/Lab table /2023/ 2918

Date: 08 NOV 2023

Quotations for Supply of Laboratory table with sink & faucet

Due On: 29.11.2023

Date of Opening: 30.11.2023

Time: ~~3:00 pm~~
11:00 am

To,

Sub: QUOTATION FOR THE SUPPLY OF Supply of Laboratory table with sink & faucet

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 29.11.2023. While submitting your quotation, the following procedure

May please be observed and other points borne in mind.

01. The maker's name must be specified.
02. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charges Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
03. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
04. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
05. Envelope should be clearly marked with our reference No and date of this quotation. It should also be superscripted as per the format given above.
06. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
07. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
08. Quotation received after the date of opening may not be taken into consideration.
09. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand and should be submitted as per standard format of Quotation Submission attached herewith.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether **GST, Insurance, Freight or packing** and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.

14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,




Registrar

Dr. Babasaheb Ambedkar Technological
University,

List of Items

Sr.No	Description / Specification	Make	Approx. Qty.
01	Laboratory table with sink & faucet (The detailed specifications are as per attached sheet.)		03

Detailed Technical Specifications

Sr. No	Name of Equipment's	Technical Specification	Quantity
1	Laboratory Table with Sink and Faucet	<ul style="list-style-type: none"> • Table Size: 80"x34"x50" (l x h x b) • Entire Frame structure should be made from CRCA16 SWG pipe. • Legs: - 2"x2" • Upper frame: - 3"x 1.5" rectangular pipe to rest granite • Lower frame: -2"x1" rectangular pipe • Storage compartments and drawers should be provided with partitions which are accessible from both sides with cam lock and made from 1 mm CRCA sheet having two over shelf made from 1mm CRCA sheet. • All outer edges of granite are half mounded. • Sink should be fitted with water taps with Faucet-mounted for eyewashes and plumbing work done. (05 Nos) (See Photo attached herewith) • Below space of sink should be empty. • All the MS material will be powder coated with cement grey and off white and black color. • Sink at the middle of table and rack on both sides of sink. <div style="text-align: center;">  </div>	03

Specifications shown above are checked and verified by the Committee of the department.



Dr. S. M. Pore

(Head of the Department)