



डॉ.बाबासाहेब आंबेडकर तंत्रशास्त्र विद्यापीठ, लोणेरे
Dr. Babasaheb Ambedkar Technological University, Lonere
विद्याविहार, लोणेरे-रायगड ४०२ १०३ (महाराष्ट्र) Vidyavihar, Lonere - Raigad 402 103
(Maharashtra) Tel: (02140) 275142 Student Helpline: 02140-275212
Website: www.dbatu.ac.in, E-mail: coe@dbatu.ac.in



परीक्षा विभाग

Dr. Narendra S. Jadhav
Controller of Examination(I/c)

डॉ. नरेंद्र सु. जाधव
परीक्षा नियंत्रक (प्र.)

Ref no: DBATU/Suppli. Exam/B.Tech/TT/2023/1413

Date: 18/12/2023

**B.Tech Time Table Supplementary Winter - 2023(Rescheduled)
Electrical And Instrumentation (11575)**

Sr. No.	Date	Time	Course Name	Subject Code	Subject Name
1	16-01-2024	2.00 PM To 5.00 PM	Electrical & Instrumentation Engineering	BTEIC601	Power System Operation and Control
2	18-01-2024	2.00 PM To 5.00 PM	Electrical & Instrumentation Engineering	BTEIC602	Instrumentation System Design
3	20-01-2024	2.00 PM To 5.00 PM	Electrical & Instrumentation Engineering	BTEIC603	Switchgear and Protection
4	23-01-2024	2.00 PM To 5.00 PM	Electrical & Instrumentation Engineering	BTEIPE604A	High Voltage Engineering
				BTEIPE604B	Instrumentation System Components
				BTEIPE604C	Smart Grid Technology
5	25-01-2024	2.00 PM To 5.00 PM	Electrical & Instrumentation Engineering	BTEIOE605A	Power Plant Engineering
				BTEIOE605B	E-waste Management
				BTEIOE605C	Sensor Technology

Important Note: 1.The candidates appearing for the examination should report 20 minutes before the start of examination.

2. Mobile phones and other electronic gadgets are prohibited in the examination hall.

3.Change if any, in the time table shall be communicated on the University web site.

Copy to:

1. Hon 'ble Vice Chancellor (For Information)
- 2.The Registrar (For Information)
- 3.Principal/Director of all the affiliated institutes.
- 4.OSD,Regional centers/Sub Centers
- 5.Students Notice Board
- 6.University Website- www.dbatu.ac.in



Controller of Examinations
Dr.Babasaheb Ambedkar Technological University
Lonere - 402103
Tal.Mangaon,Dist.Raigad.(Maharashtra)