



**DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY,  
LONERE**

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatuonline.com)

**INVITATION FOR QUOTATION**

**31 JAN 2024**

Our Ref No. : DBATU/Store / Affiliation Section/HP Laser jet Printer/2024/332 Date: 24/01/2024

Quotation For: Hp Laser Jet Tank Printer

Due On: 12/02/2024

Date of Opening: 13/02/2024

Time: 11.30 am

To,

**Sub: QUOTATION FOR THE SUPPLY OF STORE**

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 12/02/2024

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "**Quotation for reference No..... of dated.....**" It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.

10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

  
Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

### List of Items

Sr. No	Description	Make	Qty.	Rate per / Each / Unit	Remarks
01	Model name : HP Laser Jet Tank Printer (Details as per annexure 'A' attached here with)		02 Nos.		

➤ Quantity may vary

## Annexure 'A'

HP LaserJet MFP Printer

<b>Ports</b>	Hi-Speed USB (compatible with USB 2.0 specifications); Ethernet 10/100 BT; 802.11a/b/g/n (2.4/5 GHz) Wi-Fi radio + BLE
<b>Wireless capability</b>	built-in WiFi 802.11b/g/n (2.4/5GHz)
<b>Copy speed (black, normal)</b>	Up to 22 cpm
<b>Automatic document feeder capacity</b>	Standard, 40 sheets
<b>Media size (ADF)</b>	A4, Letter, Legal
<b>Media weight supported, ADF (metric)</b>	60 to 90 g/m <sup>2</sup>
<b>Media weight supported, ADF (U.S. standard)</b>	16 to 24 lb
<b>Media type and capacity, ADF</b>	Standard Printed Media. 40 sheets Capacity.
<b>Recommended media weight, duplex (metric)</b>	60 to 105 g/m <sup>2</sup>
<b>Recommended media weight, duplex (U.S. standard)</b>	60 to 105 g/m <sup>2</sup>
<b>Media sizes, duplex (U.S. standard)</b>	Letter
<b>Maximum dimensions (W x D x H, metric)</b>	418 X 398.5 X 311.4mm
<b>Maximum dimensions (W x D x H, U.S. standard)</b>	16.5 X 15.7 X 12.3 in
<b>Weight (metric)</b>	9.5 kg
<b>Weight (U.S. standard)</b>	20.94 lbs
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology
<b>Power supply type</b>	Internal (Built-in) power supply
<b>Power supply</b>	110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz)
<b>Power consumption</b>	Active printing: 390w, Ready: 2.7w, Sleep: 0.51w, Manual Off: 0.05w, Auto Off/Manual On: 0.05w, Auto Off/Wake on LAN: 0.5w
<b>Number of print cartridges</b>	1 (black)

Replacement cartridges	Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 154X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages); China and India: HP 158A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 158X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages);
Replacement cartridges footnote	<u>[3] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a></u>
Print technology	Laser
Duplex printing	Automatic
Print resolution (best)	Up to 600 x 600 dpi
Maximum print area (metric)	215.9 x 355.6 mm
Monthly duty cycle	Up to 25,000 pages
Print languages	PCLmS; URF; PWG
Printer smart software features	Automatic duplex printing, HP Auto-On/Auto-Off, HP Smart App
Regulatory model number	SHNGC-2101-01
Ecolabels	CECP; EPEAT® Silver India
Safety	IEC 60950-1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC 60825-1 3rd Edition (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IEC/EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IEC/EN 62479:2010 / IEC 62479:2010; Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed 3, as described in Laser Notice No. 56, dated May 8, 2019
Electromagnetic compatibility	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Telecom compliance (fax capability)	Wireless: EU RED 2014/53/EU; ETSI EN 301 489-1 V2 2.3 / ETSI EN 301 489-17: V3.1.1; EN 300 328: V2 2.2 / EN301 893 V2.1.1/ EN300 440-1 V2 1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008
Scan speed (normal)	Contact Image Sensor (CIS) Up to 20 ppm (b&w), up to 11 ppm (color)

Scan speed footnote	[8] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Scan resolution, hardware	600 x 1200 dpi
Levels of grayscale	256
Bit depth	24-bit
Duplex ADF scanning	No
Maximum flatbed scan size (metric)	216 x 297 mm
Maximum flatbed scan size (U.S. standard)	8.5 x 11.7 in
Minimum ADF scan size (metric)	148 x 210 mm
Minimum ADF scan size (U.S. standard)	5.8 x 8.3 in
Maximum ADF scan size (metric)	216 x 356 mm
Maximum ADF scan size (U.S. standard)	8.5 x 14 in
Twain version	Version 2.1
Minimum system requirements for Windows	Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.
Minimum System Requirements for Macintosh	Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required
Compatible Network Operating Systems	<u>Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit;</u> <u>Linux (For more information see <a href="http://developers.hp.com/hp-linux-imagine-and-">http://developers.hp.com/hp-linux-imagine-and-</a></u>
Operating system (supported note)	Not supporting Windows® XP (64-bit), Windows Vista® (64-bit) and Windows 8, 8.1. Full solution software available only for Windows 7 SP1, Windows 10 and newer; For Windows Server 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit, 2016 64-bit only print driver is installed. Windows RT OS for Tablets (32 & 64-bit) uses a
Manufacturer Warranty	<u>One-year limited hardware warranty. For more info, please visit us at <a href="https://support.hp.com">https://support.hp.com</a></u>