



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE
At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

Our Ref No. : DBATU/Store /Elect. Engg (Diploma) wing/Relay/2024/1498 Date: 31/05/2024
Quotation For : Three phase over current numeric relay Due On: 14/06/2024
Date of Opening: 15/06/2024 Time: 12:30 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 14/06/2024

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.



13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,


Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
	<p>Three Phase Over Current Numeric Relay Current Input: Suitable for CT secondary 5Amp. Or 1Amp site selectable, Aux. Supply: 18 - 250VAC/DC, VA burden on CT: Less than 0.2VA, VA burden on Aux.: Less than 10 Watts, Operating Temp. range: -10 deg. To + 65 deg., Continuous carrying capacity: 2 x of rated for CT and 1.5 x of rated for PT, Pick up: Within 1.1 times of set value, Reset Value: 95% to 90% of pick up, Output Contact: 4 Trip duty user assignable, Contact Rating: Continuous: 5A: Make & carry for 0.5 sec: 30A: Make & carry for 3 sec: 15A, Opto Isolated input: 1 for CB NO & 1 for CB NC, Thermal Withstand for CT: 20 x of rated for 3.0 sec.</p>		01		

➤ Quantity may vary