



INVITATION FOR QUOTATION

04 SEP 2024

Our Ref No. : BATU/Store/RC Aurangabad/furniture/2624

Date : 03/09/2024

Quotation For : Table Chair Set

Due On : 23/09/2024

Date of Opening : 24/09/2024

Time : 11.00 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 23/09/2024


While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charges Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "**Quotation for reference No..... of dated.....**" It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.

14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,



Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

Copy

o/c

gh *ly* *03/09/24*

List of Items

Sr. No.	Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
01	L Shape Table with Chair (Annexure 1)		01		
02	Executive Chair(Annexure 2)		01		

- Quantity may vary

03/09/24

At sambhaji Nagar

Annexure I
L Shape Table with Chair

Structure /Frame of table	Gable end and modesty panel
Frame type	Freestanding
Accessories /Optional requirement for table	Beam Support for Table Top
The type of Storage provided	One side E.R.U unit
Keyboard tray	Not provided
Footrest	Not Provided
Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
Thickness of table top material (± 1 mm)	25 mm
Thickness of table top material (± 1 mm)	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
Gable end material	25 mm
The thickness of the gable end	18 mm
Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
The thickness of the modesty panel material	18 mm
Gable end and modesty panel plain side	N.A
Table top edges	To be posts form half round profile with corner edge bending
Leg Material	NA
The thickness of the Leg material	NA
Beam Material	NA
Number of buffers provided	4 Numbers at the bottom
DIMENSION	
Width of tabletop ± 10 mm	1650 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	
ERU unit consists of	1 drawer, 2 drawer, 3 drawer, 4 drawer, 1 storage unit with shutter, 2 storage units with shutter, 1 storage unit without shutter, No ERU
ERU top material	MDF board as per IS: 12406 with pigmented PU coating on both sides
ERU top material thickness ± 2 mm	25 mm
Width of ERU unit ± 10 mm	1500 mm
Depth of ERU unit ± 5 mm	450 mm
Height of ERU unit ± 5 mm	690 mm
ERU side panel material	Prelaminated MDF board
ERU side panel Thickness ± 2 mm	18 mm
Number of lockable castors at the bottom	NA
Size of lockable castors ± 2 mm	NA
Type of storage lock system	Central locking system
Drawer /storage shutter pull-up mechanism	NA
ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
ERU shade	Peach
PEDESTAL UNIT	
Total Number of drawers /storage in Pedestal units	1 drawer, 2 drawer, 3 drawer, 4 drawer, 1 storage, 2 storage, No pedestal unit
Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
Thickness of the complete body fascia & drawer material	18 mm
Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
Back Panel Thickness in Pedestal Unit	9 mm
Drawer Bottom Material	NA

Drawer Bottom Material Thickness	NA
Provision of Castor in Pedestal unit	Without
Lock provided (for pedestal unit)	NA
Pedestal handle material	NA
Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
Pedestal shade	Peach
Width of Pedestal unit in mm (± 10 mm)	600 mm
Depth of pedestal unit ± 10 mm	400 mm
Height of pedestal unit ± 5 mm	550 mm
KEBOARD TRAY	
Material of keyboard tray and Right angle L-type supporting bracket	NA
Material thickness of keyboard tray ± 1 mm	NA
Fixing of supporting bracket	NA
Length of telescopic channel ± 10 mm	NA
Keyboard height ± 10 mm	NA
Keyboard front width ± 10 mm	NA
Keyboard depth ± 10 mm	NA
FOOTREST	
Material of footrest	NA
Material thickness of footrest ± 2 mm	NA
Height of footrest ± 10 mm	NA
Width of footrest ± 10 mm	NA
Depth of footrest ± 10 mm	NA
COLOUR AND FINISH	
Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
Tabletop shade	Peach
Table /ERU /Pedestal Panel Plain Side	NA
WARANTY	
Warranty period	1 Year
CERTIFICATE	
Test reports to be furnished to the buyer on demand	No
The product has BIFMA certification	No
OEM of the offered product is ISO 9001:2015 certified	Yes
OEM of the offered product is ISO 14001:2015 certified	Yes
OEM of the offered product is ISO 45001:2018 certified	Yes
The product has GREENGUARD certification UL	No
The product has Green Pro certification	No

Annexure 2
Godrej interio OXBO MID back chair

Tilt mechanism	Swivel tilt
Locking mechanism	Upright locking
Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
Backrest type	Tilting type
Pedestal Base	Nylon
Armrest Material	PU molded