



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

21 FEB 2025

Our Ref No. : DBATU/Store /Mech. Engg./HoD Table /2025/ 570

Date: 21/02/2025

Quotation For: HoD Table

Due On: 28/02/2025

Date of Opening: 01/03/2025

Time: 12:30 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscribed as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.



13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,



Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
	HoD Table As per attached specification		1		

➤ Quantity may vary



Structure /Frame of table	Gable end and modesty panel
Frame type	Freestanding
Accessories /Optional requirement for table	Metal Cable Tray with cut-outs for Face Plates below the table top and Snake Riser wherever required,Power Points 4 Nos. 5A Points,Internet point,Beam Support for Table Top
The type of Storage provided	One side E.R.U unit
Keyboard tray	Not provided
Footrest	Not Provided
Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller

MATERIAL

Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
Thickness of table top material (± 1 mm)	25 mm
Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
The thickness of the gable end	18 mm
Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
The thickness of the modesty panel material	18 mm
Gable end and modesty panel plain side	N.A
Table top edges	To be posts form half round profile with corner edge bending
Leg Material	NA
The thickness of the Leg material	NA
Beam Material	NA
Number of buffers provided	4 Numbers at the bottom

DIMENSION

Width of tabletop ± 10 mm	1650 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)

EXTENDED RETURN UNIT

ERU unit consists of	1 drawer,2 drawers,3 drawers,4 drawers,1 storage unit with shutter,2 storage units with shutter,1
----------------------	---

	storage unit without shutter, No ERU
ERU top material	MDF board as per IS: 12406 with pigmented PU coating on both sides
ERU top material thickness ± 2 mm	25 mm
Width of ERU unit ± 10 mm	1500 mm
Depth of ERU unit ± 5 mm	450 mm
Height of ERU unit ± 5 mm	690 mm
ERU side panel material	Prelaminated MDF board
ERU side panel Thickness ± 2 mm	18 mm
Number of lockable castors at the bottom	NA
Size of lockable castors ± 2 mm	NA
Type of storage lock system	NA
Drawer /storage shutter pull-up mechanism	NA
ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
ERU shade	Peach

PEDESTAL UNIT

Total Number of drawers /storage in Pedestal units	One drawer, Two drawers, Three drawers, Four drawers, One storage, Two storage, No Pedestal unit
Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board (Wood Product) of grade II type II of IS 12823/Latest
Thickness of the complete body fascia & drawer material	18 mm
Material for back panel in pedestal unit	Three layers of Prelaminated particle board (Wood Product) of grade II type II of IS 12823/Latest
Back Panel Thickness in Pedestal Unit	9 mm
Drawer Bottom Material	NA
Drawer Bottom Material Thickness	NA
Provision of Castor in Pedestal unit	Without
Lock provided (for pedestal unit)	NA
Pedestal handle material	NA
Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
Pedestal shade	Peach
Width of Pedestal unit in mm (± 10 mm)	600 mm
Depth of pedestal unit ± 10 mm	400 mm
Height of pedestal unit ± 5 mm	550 mm

KEYBOARD TRAY

Material of keyboard tray and Right angle L-type supporting bracket	NA
Material thickness of keyboard tray ± 1 mm	NA
Fixing of supporting bracket	NA

Length of telescopic channel ± 10 mm	NA
Keyboard height ± 10 mm	NA
Keyboard front width ± 10 mm	NA
Keyboard depth ± 10 mm	NA

FOOTREST

Material of footrest	NA
Material thickness of footrest ± 2 mm	NA
Height of footrest ± 10 mm	NA
Width of footrest ± 10 mm	NA
Depth of footrest ± 10 mm	NA

COLOUR AND FINISH

Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
Tabletop shade	Peach
Table /ERU /Pedestal Panel Plain Side	NA

WARRANTY

Warranty period	1 Year
-----------------	--------

CERTIFICATION

Test reports to be furnished to the buyer on demand	No
The product has BIFMA certification	No
OEM of the offered product is ISO 9001:2015 certified	Yes
OEM of the offered product is ISO 14001:2015 certified	Yes
OEM of the offered product is ISO 45001:2018 certified	Yes
The product has GREENGUARD certification	No
The product has Green Pro certification	No

