



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

15 MAY 2025

Our Ref No. : DBATU/Store/Sahyagiri Hostel /Office Table/2025/1446

Date: 14/05/2025

Quotation For: Office Table

Due On: 28/05/2025

Date of Opening: 29/05/2025

Time: 11:30 am

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than **28/05/2025**.

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge, Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed "**Quotation for reference No..... of dated.....**" It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether **GST**, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.



14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Following Certificates are also required

16. Bifma Level 2 Certificate.
17. Green Guard UL Certificate.
18. SCS Indoor Advantages gold Certificate.
19. NABCB_ISO_114001:2015 Certificate.
20. NABCB_ISO_45001 Certificate.
21. Authorisation certificate from OEM.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

List of Items

Sr. No.	Description	Make	Approx. Qty Req.	Image
01	Table for Faculty Dimension <ul style="list-style-type: none"> Width of tabletop: 1650mm Width of table: 900mm Height of table: 750mm Size (L*W)/diameter of leg material: 25*25mm Material <ul style="list-style-type: none"> Table top material: prelaminated particle board (wood product) of grade II type II of IS 12823/Lates Thickness of table top material: 25mm 		01	

- Gable end material: 25mm
- The thickness of the gable end: 18mm
- Table top edges: To be posts form half round profile with corner edge bending
- Number of buffers: 4 numbers at the bottom

Structure

- Structure /frame of table: Gable end and modesty panel
- Frame type: Freestanding
- Accessories/Optional requirement for table: Metal cable tray with cut outs for face plates below the table top and snake riser wherever required, power points 4Nos. SA points, Internet point, Beam support for table top
- Type of storage provided: One side E.R.U unit
- Mode of supply: Knocked down to be assembled at consignee site by the seller

Extended return unit

- ERU unit consists of: 1 drawer, 2 drawers, 3 drawers, 4 drawers, 1 storage units with shutter, 1 storage unit without shutter
- ERU top material: MDF board as per IS: 12406 with pigmented PU coating on both side
- ERU top material thickness: 25mm
- Width of ERU unit: 1500mm
- Depth of ERU unit: 450mm
- Height of ERU unit: 650mm
- ERU side panel material: prelaminated MDF board
- ERU Side panel thickness: 18mm
- ERU outer surface Finish: laminated in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no. 3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick onn another side
- ERU shade: Peach

Pedestal Unit

- Total No of drawers / storage in pedestal units: one drawer, two drawers, three drawers, four drawers, one storage, two storage
- Complete body facia and drawer material in pedestal unit: three layers of prelaminated particle board (wood product) of grade II

	<p>type II of IS 12823/Lates</p> <ul style="list-style-type: none"> • Thickness of the complete body fascia & drawer material: 18mm • Material for back panel in pedestal unit: three layers of prelaminated particle board (wood product) of grade II type II of IS 12823/Lates • Back panel thickness in pedestal unit: 9mm • Pedestal outer finish: Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no. 3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side • Pedestal shade: Peach • Width of pedestal unit: 600mm • Depth of pedestal unit: 400mm • Height of pedestal unit 550mm <p>Warranty: 01 Year</p>			
02	<p>Table for Staff Size: 1500*750*725H Drawer Size: 355W*559D*670H</p> <ul style="list-style-type: none"> • Top & Modesty panel – 18MM thick pre laminated board (PLB) all work surface edges are duly sealed with 2 mm thick PVC Edge banding. • Understructure Rectangular frame fabricated component in 1.2 mm thick CRCA. • Leg fabricated in 38*25*1.2 mm thick MS ERW tubes. • Leveller glide for leg of nylon 6 & MS bolt. <p>ISO 9001/14001/45001</p>		01	

➤ Quantity may vary