

## DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.ac.in)

INVITATION FOR QUOTATION

Our Ref No. : DBATU/Store /Exam/Toner/2025/1741

Quotation For : Toner Reload Kit Date of Opening: 17/6 /2025

11 1 JUN 2025 : 9 / 6 /2025 Due On : 16/6/2025

: 12:30 pm

To.

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 16 / 6 /2025

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

- 1. The maker's name must be specified.
- 2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge,s Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
- 3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
- 4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
- 5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscripted as per the format given above.
- 6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
- 7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's
- 8. Quotation received after the date of opening may not be taken into consideration.
- Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
- 10. Your quotation should be for all new items and not for second1 hand.
- 11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
- 12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.

- 13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
- 13. It would be appreciated if illustrated cutally

  14. Expression to as "Complete with standard Equipment" complete with standard accessories

  "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be
  very specifically indicated as to what exactly they mean and what exactly would be supplied
  under them. Any ambiguity or vagueness should be avoided.
- under them. Any ambiguity of vagation under the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere

## **List of Items**

Sr. No.	Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
01	Toner Reload Kit As per attached Specification Sheet		10		

Quantity may vary

## Specification for Toner Reload Kit - (W1580X)

Sr. No.	Description	Value	
1	Title	HP 158X Black Original LaserJet Tank Toner Reload Kit - (W1580X)	
2	Sku	W1580X	
3	Product Type	Standard Capacity Toner Cartridges	
	PRINTER SPECIFICATIONS		
4	Print technology	Laser	
	CARTRIDGES AND PRINT HEADS		
5	Product Color	Black	
6	Technology	Laser	
7	Page yield (black and white)	5,000 pages	
8	Supply type	Reload Kits	
9	Color(s) of printing supplies	Black	
7	ENVIRONMENTAL		
10	Operating temperature range	0 to 35°C	
10	Operating temperature range	10 to 90% RH	
11	Non-Operating Humidity Range		
12	Operating humidity range	20 to 80% RH	
13	Storage temperature range	-20 to 40°C	
	GEOGRAPHIC		
14	Country of origin	Victnom	