



**DR. BABASAHEB AMBEDKAR TECHNOLOGICAL  
UNIVERSITY, LONERE**

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatuonline.com)

**INVITATION FOR QUOTATION**

**01 JUL 2026**

Our Ref No. : DBATU/Store/Mech /Printers/2026/2648

Date: 22/6/2026 14/7/26

Quotation For: Printers

Due On: 6/7/2026

Date of Opening: 7/7/2026 15/7/2026

Time: 11:00 am.

To,

**Sub: QUOTATION FOR THE SUPPLY OF STORE**

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than 6/7/2026 14/7/2026

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

01. The maker's name must be specified.
02. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charge's Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
03. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
04. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R."
05. Envelope should be clearly marked with our reference No and date of this quotation. It should also be superscripted as per the format given above.
06. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
07. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of it's opening.
08. Quotation received after the date of opening may not be taken into consideration.
09. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.
12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.

13. It would be appreciated if illustrated catalogues/Literature etc is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

*[Signature]*  
Registrar

Dr. Babasaheb Ambedkar Technological University, Lonere


**List of Items**

Sr. No.	Description / Specification	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarks
01.	Laser Jet Printers Cum Scanner With Tank (As Per Attached Specification)	--	08	--	

## Product walkaround

1. 40-sheet auto document feeder
2. Print speed up to 22 ppm (A4)
3. Smart-guided buttons
4. 250-sheet input tray
5. Sharp text and consistent printing
6. Automatic two-sided printing
7. Up to 50,000 pages imaging drum
8. PreGilled with up to 5,000 pages of Original HP Toner
9. Built-in fast Ethernet
10. Dual-band Wi-Fi with self-reset & Bluetooth LE
11. HP WOLF Security Essential

## Series at a glance



Model	MFP 2606 dn Printer	MFP 2606 sdw Printer
Product number	381U0A	381U2A
Function	Black-and-white Print, Scan, Copy	
Print speed	Up to 22 ppm A4	
Paper handling	Automatic two-sided printing, 250-sheet input tray / 100-sheet output bin	Automatic two-sided printing, 40-page automatic document feeder, 250-sheet input tray / 100-sheet output bin
Security	HP Wolf Essential supported	
Connectivity	Built-in fast Ethernet, Hi-Speed USB	Dual-band Wi-Fi™ with self-reset <sup>1</sup> , Wi-Fi® Direct <sup>2</sup> , Built-in fast Ethernet, Hi-Speed USB
User interface	Smart-guided buttons	
Toner	PreGilled with up to 5,000 pages of Original HP Toner	
Aftermarket supplies	2,500 page & 5,000 page HP Toner Reload Kit available	

<sup>1</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

<sup>2</sup> Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®.

## Configurable Items, Accessories, Supplies and Support

Supplies	W1580A HP 158A Black Original LaserJet Tank Toner Reload Kit (~2,500 pages) W1580X HP 158X Black Original LaserJet Tank Toner Reload Kit (~5,000 pages)
Service and Support	U04TDE HP 2 year Onsite Exchange Service for LaserJet Tank MFP U04TFE HP 3 year Onsite Exchange Service for LaserJet Tank MFP U04TJE HP 2 year Next Business Day Advance Exchange Service for LaserJet Tank MFP U04TKE HP 3 year Next Business Day Advance Exchange Service for LaserJet Tank MFP U04TMEHP 2 year Advance Exchange Service for LaserJet Tank MFP U04TNE HP 3 year Advance Exchange Service for LaserJet Tank MFP U04TRE HP 2 year Return to Depot Service for LaserJet Tank MFP U04TSE HP 3 year Return to Depot Service for LaserJet Tank MFP

# Technical specifications

Model	MFP 2606 dn Printer	MFP 2606 sdw Printer
Product number	381U0A	381U2A
Control panel	Icon LCD; 2 lights (Media, Lid open); 9 buttons (Down, Menu, Up, Copy, ID copy, Info, Resume, Cancel, Power)	Icon LCD; 2 lights (Media, Lid open); 10 buttons (WiFi, Down, Menu, Up, Copy, ID copy, Info, Resume, Cancel, Power)
Print		
Print technology	Laser	
Print speed <sup>5</sup>	Black (A4, normal) Up to 22 ppm; Black (A4, duplex): Up to 14 ipm;	
First page out <sup>6</sup>	Black (A4, ready): As fast as 8 sec; Black (A4, sleep): As fast as 8.4 sec;	
Print resolution	Black (best): Up to 600 x 600 dpi;	
Monthly duty cycle	Up to 25,000 pages A4; Recommended monthly page volume: 250-2,500 pages	
Printer smart software features <sup>1</sup>	Automatic duplex printing, HP Auto-On/Auto-Off, HP Smart App	
Standard print languages	PCLm5; URF; PWG	
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area: 215.9 x 355.6 mm	
Duplex printing	Automatic	
Copy		
Copy speed	Black (A4): Up to 22 cpm	
Scan		
Scan speed <sup>8</sup>	Normal (A4): Up to 19 ppm (b&w), up to 10 ppm (color);	
Scan file format	JPEG, RAW(BMP), PNG, TIFF, PDF	
Scanner specifications	Scanner type: Flatbed; Scan technology: Contact Image Sensor (CIS); Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 600 dpi	Scanner type: Flatbed, ADF (Optional); Scan technology: Contact Image Sensor (CIS); Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed) 216 x 297 mm; Optical scan resolution: Up to 600 dpi
Recommended monthly scan volume	150 to 1,500 pages	
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 148 x 210 mm Maximum media size (ADF): 216 x 356 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Processor speed	500 MHz	
Connectivity Standard	Hi-Speed USB (compatible with USB 2.0 specifications); Ethernet 10/100 BT;	Hi-Speed USB (compatible with USB 2.0 specifications); Ethernet 10/100 BT; 802.11a/b/g/n (2.4/5 GHz) Wi-Fi radio + BLE
Wireless		built-in WiFi 802.11b/g/n (2.4/5GHz)
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing
Supported network protocols	TCP/IP: IPv4; IPv6; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; SNMP v 1/2/3; HTTP/HTTPS; UDP; IPP	
Network capabilities	Ethernet 10/100Base-TX	Ethernet 10/100Base-TX; built-in WiFi 802.11b/g/n (2.4/5GHz)
Memory	Standard: 64 MB; Maximum: 64 MB	
Number of paper trays	Standard: 1; Maximum: 1 Input Tray	
Media types	Plain paper, Heavy paper, Bond paper, Label, Light paper, Envelope	
Media size	Custom (metric): 102 x 152 to 215.9 x 355.6 mm; Supported (metric): A6; A5; A4; No.10 Env; C5 Env; DL Env; B5 Env; B5 (JIS); B6 (JIS); 216mm x 340mm; Custom; ADF: A4, Letter, Legal	
Media handling	Standard input: 250-sheet input tray ADF: Standard, 40 sheets	
Media weight	60 to 163 g/m <sup>2</sup> ; ADF: 60 to 90 g/m <sup>2</sup>	
Input capacity	Tray 1: Sheets: 250; Envelopes: 10 Maximum: Up to 250 sheets ADF: Standard, 40 sheets	
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 10 envelope Maximum: Up to 100 sheets	
Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux	
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit; Linux (For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> )	
Minimum system requirements	Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® Internet Explorer or Edge.; Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required	
Software included	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, printer driver and other essential tools	
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup	
	HP Printer Assistant (UDC); HP Device Toolbox; HP Utility (Mac)	
Printer management		
Dimensions (mm) (W x D x H)	Minimum 368 X 326 X 255 mm; Maximum: 368 X 390.5 X 255mm;	Minimum 418 X 345 X 311.4 mm; Maximum: 418 X 398.5 X 311.4mm;
Printer weight	7.9kg	9.5 kg
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH	
Storage conditions	Temperature: -20 to 60°C;	
Acoustics	Acoustic power emissions : 6.3 B(A); Acoustic pressure emissions: 49 dB(A)	
Power	Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz); Consumption: Active printing: 390w, Ready: 2.7w, Sleep: 0.51w, Manual Off: 0.05w, Auto Off/Manual On: 0.05w, Auto-Off/Wake on LAN: 0.5w; Typical Electricity Consumption (TEC) <sup>7</sup> : Energy Star: 0.194kwh/week; Blue Angel: 0.203kwh/week; Power supply type: Internal (Built-in) power supply;	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology	
Certifications	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 CECP; EPEAT® Silver India Telecom compliance: NA, without wireless module	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 CECP; EPEAT® Silver India Telecom compliance: Wireless: EU RED 2014/53/EU; ETSI EN 301 489-1 V2.2.3 / ETSI EN 301 489-17: V3.1.1; EN 300 328: V2.2.2 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008
Sustainable impact specifications	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic	
Country of origin	Made in Vietnam	
What's in the box <sup>2</sup>	381U0A 381U0A HP LaserJet Tank MFP 2606dn Printer; HP Black Original LaserJet Tank Imaging Drum (-5000 page black toner yield provided), Power Cord, Setup Guide, Reference Guide, Regulatory/Support Flyers, CD (for APJ only)	381U2A 381U2A HP LaserJet Tank MFP 2606sdw Printer; HP Black Original LaserJet Tank Imaging Drum (-5000 page black toner yield provided), Power Cord, Setup Guide, Reference Guide, Regulatory/Support Flyers, CD (for APJ only)
Warranty	One-year limited hardware warranty. For more info, please visit us at <a href="https://support.hp.com">https://support.hp.com</a>	