DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.in)

18 NOV 2026

INVITATION FOR QUOTATION

Our Ref No.: DBATU/store/Chem. Engg (Diploma)/Glass Based Water Distillation/2026/ 5056 **Date:** 18/11/26

Quotation For: Glass Based Water Distillation with Heater **Due On:** 7/12/2026

Date of Opening: 8/12/2026 **Time:** 11:00 am

==========

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than: 7/12/2026

While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charges Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R.
5. Envelope should be super-scribed **"Quotation for reference No..... of dated....."** It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of its opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

Scanned with OKEN Scanner

12. It should be clearly stated whether **GST,** Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc. is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,

Registrar
Dr. Babasaheb Ambedkar Technological University,
Lonere

List of Items

Description	Make	Approx. Qty Req.	Rate per / Each / Unit	Remarl
Glass-Based Water Distillation Assembly with Heater (04 Ltr/hr) **Technical Specification: -** Single stage water distillation all glass horizontal model water stills are carefully designed to produce high purity pyrogen free distilled water. Units Consist of: a) Horizontal type boiler borosilicate glass b) Condenser c) Constant level device d) Silica sheathed (Quartz) heater e) With stand and clamp etc		01		

Scanned with OKEN Scanner

Key Features: a) Borosilicate condenser and boiler are fitted with a removable silica sheathe (Quartz) heater. b) Distillate temperature is around 65 to 75^0C which is ensured by an efficient condenser. c) The stand is powder coated for rust free operation and lustrous appearance. d) The unit automatically switches off if water level in the boiler falls below heater e) Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy. f) The model is equipped with in-built temperature switch to protect the glass parts in case of water failure or overheating. Capacity Ltr/Hr: 4 **Spare: Silica Sheathed (Quartz) Heater** Capacity Ltr/Hr: 4				

Scanned with OKEN Scanner